PHYTOPATHOLOGY

INDEX TO VOLUME 31, 1941

Volume 31
Number 12
December, 1941

1941

PHYTOPATHOLOGY

AN INTERNATIONAL JOURNAL

OFFICIAL ORGAN OF THE AMERICAN PHYTOPATHOLOGICAL SOCIETY

VOLUME 31
JANUARY–DECEMBER, 1941

EDITORS

H. B. HUMPHREY — ANNIE RATHBUN-GRAVATT — G. M. ARMSTRONG

EDITOR FOR EUROPE

H. M. QUANJER

ASSOCIATE EDITORS

B. L. RICHARDS	N. E. STEVENS	J. S. BOYCE
T. C. VANTERPOOL	H. R. ROSEN	R. P. WHITE
A. J. RIKER	F. J. STEVENSON	C. W. BENNETT
S. P. DOOLITTLE	A. J. ULLSTRUP	ALMA M. WATERMAN

THE AMERICAN PHYTOPATHOLOGICAL SOCIETY

OFFICERS

J. G. LEACH, *President*
L. M. HUTCHINS, *Vice-President*
R. S. KIRBY, *Secretary*
H. A. EDSON, *Treasurer and Business Manager of* PHYTOPATHOLOGY

COUNCILORS

J. G. HORSFALL — J. B. KENDRICK — CHARLES CHUPP

COUNCILORS REPRESENTING DIVISIONS

N. J. GIDDINGS — F. L. HOWARD — GEORGE M. ARMSTRONG

PUBLISHED FOR THE SOCIETY
THE SCIENCE PRESS PRINTING COMPANY
LANCASTER, PENNSYLVANIA

INDEX FOR VOLUME 31

New species in **blackface type**
Joint authorship indicated by pages in "( )"
Species index of bacteria included
AUTHOR AND SUBJECT INDEX

Prepared by Frederick V. Rand, Office of Experiment Stations, U. S. Department of Agriculture.

AAMODT, O. S., 1
ABBOTT, E. V., 564
Acer spp., Phomopsis tumor of, 545
  Phytophthora bleeding canker, 863
    control by tree injection, 12
  Stereum murrayi on, 82
Aceratagallia sanguinolenta, as vector of potato yellow dwarf, hereditary variation in, 3
ACREE, RUBY J., 1
Aerobeloides bütschlii, Cephalosporium balanoides parasitizing, 786
Aerostalagmus **bactrosporus** n. sp., nematodes parasitized by, 782
  obovatus n. sp., nematodes parasitized by, 784
Actinomyces scabies, culture media for, 714
  on potato, control by iodine, 954
    cyto- and histopathology, 702
    pit-scab due to, insect and saprophyte roles in, 9
ADAIR, L. A., 448
ADAMS, M., (16)
Aerobacter aerogenes, virus inactivation by growth products of, 690
Aerobiology, techniques, 201
aerogenes (Aerobacter), 960
AFANASIEV, M. M., 1
Age, curly top resistance of sugar beet vs. host-, 861
Agglutination, micro-, of Ceratostomella spores, 15
Agrostis palustris, fungus disease (new), Curvularia or Helminthosporium causing, 24
Air, -centrifuge, 204, 205, 213
  -currents, Phytomonas malvacearum disseminated by, 4
  dissemination of microorganisms (etc.) by, appraisal technique, 201
  sanitary analysis, 203
Albizzia spp., Fusarium wilt, exp. infection, 608
  julibrissin, Fusarium wilt, and cross inoculations, 1
    distribution and general study, 599
Alcaligenes radiobacter (see Bacillus radiobacter)
Aldehydes, losses in sterilization, 153
Alfalfa, killing by basidiomycete, 1058
  mosaic, symptoms, as influenced by virus concentration, 418
  virus, activity measurement, local lesion method, accuracy, 21
    concentration in tobacco at intervals after inoculation, 410
    extraction technique, 411
    inactivation *in vivo*, 415, 419
    purification and properties of protein of, 394
  resistance to fungus parasites, 765
  Rhizoctonia root rot, 674
Aliphatic acids, losses in sterilization, 153
Alkaloid, emetic principle of scabby barley as (?), 871
ALLINGTON, WILLIAM B., 957
ALLISON, J. L., (765)
Allium spp. (see also Onion)
  Phoma terrestris on, host-parasite relations, 907
  smut resistance in, 9
Almond, buckskin disease, symptoms, 920
  Chalaropsis stem infection (exp.), 859
  crown gall on, chemical eradication, 956
  peach mosaic on, 323
  peach ring rot grafted into, 860
Alternaria spp., on carnation cuttings, as influenced by growth substances vs. potassium permanganate, 14
  in chemically treated lumber stain, 272
  cotton boll and seedling infection, 160, 769
  on tomato, sprays for, timing and dosage, 11
  macrospora, cotton stem blight due to, general study, 664
  solani, on tomato, copper sprays tested for, 25
Aluminum nitrate, effect on copper fungicide deposition on leaves, 860
Alyssum spp., Rhizoctonia foot rot (exp.), 89
Amanita muscaria, mycorhizal, on conifers, 568
Amaranthus caudatus, tobacco ring spot inoculations, 580
Ambrosia beetles, as vectors of Fusarium perniciosum, 611
Ambrosia trifida, Aerostalagmus obovatus parasitizing, 784
American Phytopathological Society, annual meeting report (1940), 362
  Pacific Division, report of meeting (1941), 859
  Southern Division, report of meeting (1941), 767
Amides, losses in sterilization, 153
Amines, losses in sterilization, 153
Ammonium salts, toxicity to Phymatotrichum omnivorum, mechanism, 926
Anacentrinus deplanatus, barnyard grass root rot and basal stem rot relations to, 832

description, 834
Anaheim grapevine disease, development and spread, 862
Andropogon furcatus, Sorosporium smut sori on ovarial and staminal tissues, diagnostic value, 1043
Sphacelotheca smut sori on ovarial tissues, diagnostic value, 1043
ANDRUS, C. F., 566
Angiopsora zeae, on corn, and distribution, 856
Anguillulina pratensis, on cotton, distribution in regional wilt plats, 771
angulatum (Bacterium), 957
Annual bluegrass (see Poa annua)
Annelids, potato pit-scab role, 9
Annulus tabaci, symptoms induced in "recovered" tobacco, 23
Antagonisms, microbiological, by mold-toxins, 991
virus inactivation by, 690, 864
virus-, 1059
Anthracnose(s), camellia Glomerella, 6
celery Marssonia, 17
Colletotrichum-induced, diagnosis by methyl bromide, 570
cotton-, boll rot association of organisms of angular leaf spot and, 24
Antiseptic dressings, for wounds, 24
Aonodiella aurantii, on lemon, Bacillus "C" destroying, 864
Aphanomyces sp., canning pea root rot due to, control by "Spergon" seed protectant, 20
Aphids, extracts of cabbage leaves and, effect on oats coleoptile test, 15
fungi parasitizing, 10
as vectors of: cowpea mosaic, 423
cucurbit viruses, 8
strawberry stunt, 850
Aphis gossypii, as vector of cowpea mosaic, 423
Apothecia, factors influencing development in Sclerotinia, 1023
Apple, scab, epidemiology, 297
eradicant fungicides for, 296
ground sprays for, 13
pathogenicity of fungus, genetic relations, 1142
saltation in fungus, nature, 1142
spray coverage index vs. inoculum potential, measurement technique and relations, 7
Stereum murrayi on, 82
Apricot, buckskin disease on, 920
peach mosaic on, 323
Sclerotinia spp. on, 719
ARK, P. A., (14), 467, 954, 956, (1130)
Armillaria mellea, growth rate, comparisons, 826
infection factors, 859
inoculation methods, 859
root rot due to, temp. relations, 3
from western white pine, variations in culture, 803
ARMSTRONG, G. M., 1, 549
Aromatic acids, losses in sterilization, 153
Ascochyta majalis, lily of the valley infected by, and distribution, 13
Ascochytella **pentstemonii** n. sp., pentstemon stem spot caused by, 195
Aspergillus spp., on cotton, 160
niger, virus inactivation by growth products of, 690
Aster laevis, tobacco-ring spot inoculations, 580
Aster yellows, heat therapy, 14
transmission through dodder, 13
virus, incubation and multiplication in vector, 126
mechanical transmission between leaf hoppers, 124
transmission through dodder, 651
Autoclave, in sterilizing organic compounds used in culture solutions, 152
Auxins (see Growth substances)
Avena coleoptile test, as influenced by extracts of cabbage leaves and aphids thereon, 15

Bacillus [=Alcaligenes] radiobacter, comparative physiology, 964
"C," red scale on lemon destroyed by, 864
Bacteria, air-borne populations, appraisal techniques, 201
on barnyard grass, weevil relations, 832
giant cactus necrosis caused by new, 15
leaf invasion by, watersoaking relation, 6
plant disease-, book review, 100
Bacterial spot, tomato-, 25
Bactericides, clove oil, for crown gall, 956
Elgetol, for crown gall, 956
iodine, for crown gall, 956
for potato ring rot and scab, 954
sodium dinitro-cresol, for crown gall, 956
Bacteriophagus n. gen. (viruses), 23
Bacterium (see also Phytomonas)
angulatum, epidemiology of infection, light vs. watersoaking in, 957
malvacearum, cotton boll rot association of Glomerella gossypii and, 24
phaseoli, bean mosaic vi is associated, and nutrient relations, 10
dissociation, 10
sepedonicum, on potato, diagnosis by fluorescence nonspecific, 569
solanacearum, on tobacco, control by crop rotations, 20
tabacum, epidemiology of infection, light vs. watersoaking in, 957
on tobacco, mechanism of invasion, 6
tumefaciens, invading overgrowths caused by, 15
vesicatorium, on tomato, copper sprays tested on, 25
BAKER, KENNETH F., 859
BALD, J. G., 181
BAMBERG, R. H., 951
Banana, Panama disease, Fusarium of, growth in soil, 91
sodium nitrate effects on, 564
BANFIELD, W. M., 2
Barbarea vulgaris, bacterial black rot (new), 347
barbareae (Phytomonas) n. sp., 348
barbareae (Zanthomonas) n. sp., 348
BARBOUR, W. J., (61)

Bark beetle(s), European elm-, as vector of Dutch elm disease, 657
fungi parasitizing, 10
BARKER, H. D., (26)
Barley, covered smut, chlamydospore germination, X-ray effects, 175
fall-sown, floral-infecting loose smut resistance in vars., 351
Gibberella saubinetii infection, emetic principle in, concentration and characterization, 871
loose smuts, differentiation and relationships, 22
identification technique, 284
seed treatment by Oklahoma hot-water seed treater, custom operation, 5
Phoma terrestris infecting (exp.), 913
BARRETT, J. T., 2
Barss, Howard P., 98, 199
Basidiomycete, killing of grasses and legumes by low-temperature-, 1058
Basisporium gallarum, on corn, growth in cobs, factors influencing, 21
BAUR, KARL, 718, 1023
BEACH, W. S., 2
BEALE, HELEN PURDY, 2
Bean, Brazilian vars. as tobacco mosaic virus indicators, 430
leaf variegation in, inheritance, 26
Lima-, cowpea mosaic infection (exp.), 427
mosaic virus, Bacterium phaseoli associated, and nutrient relations, 10
behavior in roots vs. aerial parts of exp. hosts, 577
inoculations, 579
phyllody in vars., anatomy and morphology, 168
Rhizoctonia isolates from potato vs. sugar beet on, 277
rust, resistance to physiologic races, 26
snap-, black root, pathology, 767
Colletotrichum latant infection, diagnosis by methyl bromide, 570
necrosis of tissues in, 767
Beauveria spp., insects parasitized by, 10
Beech (see Fagus)
Beet, garden-, boron deficiency in, 23
Beetles, ambrosia , as vectors of Fusarium perniciosum, 611
bark-, fungi parasitizing, 10
"Bends," grass and cereal disease (new), cause unknown, 674
Benne (see Sesamum indicum)
BENNETT, C. C., (1)
BENTON, VINCENT L., 803
BERCH, HENRY, (19)
Betula spp., Stereum murrayi on, 82
BIER, J. E., (1056)
Biographies and necrologies, Butler, Ormond Rouke, 374
Collins, James Franklin, 475
Gilbert, William Williams, 375, 961
Köck, Gustav, 867
Metcalf, Haven, 289, 376
Biological Abstracts, report of committee on, 199
Biological control, of insects by fungi, 10
of mealy bugs by fungus parasite, 5
Biometry, cotton seedling disease study by, 1078
of disease data in factorial designs, 26
Biovirales new order (viruses), 23
Birch (see Betula)
BLACK, L. M., 3, 98, 120
Black root, of snap beans, pathology, 767
Black spot, beet-, as boron deficiency, 23
Blackfire, tobacco bacterial, 957
BLAISDELL, DOROTHY J., (103)
BLANK, LESTER M., 926
Blight, benne Cercospora, 770
carnation Alternaria, 14
cotton Alternaria stem-, 664
pecan, Elsinoë nursery-, 768
potato Phytophthora, 17
tomato Alternaria early-, 25
willow-, Physalospora vs. Fusicladium as cause in Canada, 1056
BLISS, DONALD E., 3, 859, 1123
Blister rust, white pine- (see Cronartium ribicola)
BLODGETT, EARLE C., 859
BLODGETT, F. M., 3
Bluejoint turkeyfoot grass (see Andropogon furcatus)
Blue-stain, fungi of, ascospore development and morphology, 19
Blue-stem, potato-, varietal reactions to, 5
BODINE, E. W., 4, 322
Boletinus porosus, mycorhizal, on conifers, 568
Boletus spp., mycorhizal, on conifers, 568
Boll rot, cotton-, anthracnose and angular leaf-spot organisms associated in, 24
BONDE, REINER, (812)
Borax, beet black spot controlled by, 23
Bordeaux mixture (see under Fungicides)
Borer, California flatheaded, larval galleries, effect on liquid conduction in wood, determination, 1035
BORLAUG, N. E., 4
Boron deficiency, in beet, 23
in cotton, symptoms, 771
in gloxinia, 467
in slipperwort, 469
and excess, in citrus, 861
Botany, textbook, review, 677
Botrytis spp., in damping-off of longleaf pine, 1012
potato tuber pathogen, 440
BOURNE, B. A., 186
BRAUN, ARMIN C., 135
Breeding (see also Genetics; Inheritance)
bean, for rust resistance, 26
cotton, for resistance to Fusarium wilt and root knot, 1099
grasses, for disease resistance, 1
rice, for Cercospora leaf spot resistance, 19
tobacco, for mosaic resistance, 1140
Bremia spp., sulphur fungicide effects on, 865
BRIERLEY, PHILIP, 838
Broad ring spot, tobacco, virus, behavior in roots vs. aerial parts of exp. hosts, 577

BROADFOOT, W. C., 1058
Broccoli, invading overgrowths in, 15
Bromus inermis, Selenophoma leaf spot, spore germination, 953
BROWN, A. M., (4)
BROWN, J. G., 4, (15), (944)
BROWN, NELLIE A., 541
Brown rot, stone-fruit Sclerotinia, 9, 1023
Brown spot needle disease, pine Systremma, 61
Bryophyllum sp., crown gall on, temp. relations, 976
Bryovirus n. gen. (viruses), 23
Buckskin disease, of stone fruit trees, distribution, pathology, and virus strains, 916
reactions of different hosts to virus strains, 864
Bulbs, rodent damage to, control, 23
BULLER, A. H. REGINALD, 4
Bunonema spp., Harposporium oxycoracum parasitizing, 797
Nematoctonus tylosporus parasitizing, 779
Bunt, wheat-, Tilletia tritici dwarf race, 74, 951
BURKE, O. D., 5
BURKHOLDER, P. R., (844)
BURKHOLDER, WALTER H., 192, 347, 753
Bushy stunt, tomato-, transmission through dodder, 13, 652
Butler, Ormond Rourke, necrology, 374
Butt diseases, pine-, 25

"C" (Bacillus), 864
Cabbage, clubroot, control by mercurials, 18
extracts of leaves and aphids thereon, effect on oats coleoptile test, 15
Rhizoctonia foot rot (exp.), 89
Rhizoctonia from potato vs. sugar beet on, 277
tipburn, potash effects on, 18
Cactus, giant-, bacterial necrosis (new), 15
Cadophora spp., in chemically treated lumber stain, 272
Calceolaria herbeohybrida, boron deficiency disease of, 469
Calcium arsenate, compatibility of "inert" ingredients of fungicidal and insecticidal, 8
Calcium cyanamid, effect on apothecial development in Sclerotinia, 1023
Calcium deficiency, in cotton, symptoms, 771
effect on rooting of Philodendron cuttings, 844
Calendula officinalis, tobacco ring-spot inoculations, 580
California grapevine disease, spread and development, 862
Calorific value, of decayed cordwood, 22
Camellia japonica, Glomerella anthracnose, 6
CAMPBELL, W. A., (6), (82)
campestris (Phytomonas), 347
Canada streak, potato-, virus movement and route, 7
Canker(s), cypress Cytospora, 896
French prune diamond-, virus-induced (?), 886
hardwood-, Stereum murrayi association, 82
London plane tree rosy-, illuminating-gas injury associated, 349
peach Fusicoccum, 10
Phytophthora cactorum-induced, in hardwoods, 12
sycamore Ceratostomella, 23
Cantaloupe, downy mildew, control by dust fungicides, 769
as influenced by fungicidal dusts, 769
Phoma terrestris infecting (exp.), 914
powdery mildew, as influenced by thiamin, 863
resistance of host strains to races of, 863
Cantharellus cibarius, mycorhizal, on conifers, 568
Capitophorus fragaefolii, vector of strawberry stunt, 850
Capsicum frutescens, cucumber-mosaic inoculations, 579
Carnations, cuttings, diseases and rooting as influenced by growth substances vs. potassium permanganate, 14
Carnegiea gigantea, bacterial necrosis (new), 15
CAROSELLI, NESTOR E., (12)
Carotene, in white clover leaf, as influenced by: rust infection, 554
sulphur treatment, 556
Carrot, Phoma terrestris infecting (exp.), 913
Cassia tora, Fusarium wilt, and cross inoculations, 1
CATION, DONALD, 1004
Cauliflower, bacterial peppery spot, notes, 347
Phoma terrestris infecting (exp.), 914
Celery, Cercospora greenish black rot, 17
tobacco mosaic inoculations, 579
Cells, micrurgical method applied to, 11
Centrifuge, air-, 204, 205, 213
Cephaleurus virescens, guava leaf and fruit spot due to, 95
Cephalosporium acremonium, fig leaf spot due to (?), 771
balanoides n. sp., nematodes parasitized by, 786
Ceratostomella spp., in chemically treated lumber stain, 272
sycamore canker due to, transmission and control, 23
ips, ascospore development and morphology, 19
montium, ascospore development and morphology, 19
radicicola, date palm rhizosis association, 1123
ulmi, in bark beetle-infested elm wood, 19
on elm, pathogenesis, 660
species reactions to, 21
susceptibilities of species compared, 758
vascular invasion vs. vessel length, 2

microagglutination of spores, 15
on Planera aquatica, 21
transmission, by European elm-bark beetle, 657
Cercospora sp., on peanut, control by sulphur dust, 16
brachypus, grape (muscadine) leaf spot induced by, 767
perfect stage, 767
cari, celery greenish black rot caused by, 17
lathyrina, pea leaf spot caused by, 1031
nicotianae, conidial production in culture, 97
oryzae, on rice, linkage in resistance factors, 19
sesami, on benne, control by hot water seed treatment, 770
Cereals, "bends" disease of (new), cause unknown, 674
diseases of northern U.S.A., book review, 200
root rot and basal stem rot, weevil relations, 837
seed treatment by Oklahoma hot-water seed treater, custom operation, 5
Chaetomium spp., on cotton, 160
Chalaropsis thielavioides, rose bud-union failures due to, 859
CHAN, SHUK YEE, (2)
CHAPMAN, W. H., (351)
CHARLES, V. K., 5
Chemicals, virus inactivation and reactivation by, mechanism, 679
CHEREWICK, W. J., 673
Cherry, black- (see Prunus serotina)
Coccomyces leaf spot, control by copper fungicides, 22
mahaleb-, buckskin disease, symptoms, 919
line-pattern disease, 1007
peach mosaic on, 323
peach ring rot grafted into, 860
Sclerotinia spp. on, 720
sour-, buckskin disease, symptoms, 919
Coccomyces leaf spot, field spray tests (interstate cooperative), 1047
fungicidal effects on yields and quality, 16
yellows ("physiological yellow leaf"), history, distribution, and virus etiology, 355
sweet-, buckskin disease, reaction of peach vs., 864
symptoms, 917
Chalaropsis stem infection (exp.), 859
Sclerotinia spp. incidence in Ore. on, 469
vein clearing virosis (new), 464
CHESTER, K. STARR, 5, 1078
Chicory, invading overgrowths in, 15
CHILDS, JAMES F. L., 860
CHILTON, S. J. P., (554)
CHITWOOD, B. G., 818
Chive, smut resistance, 9
Chlamydospores, Sphacelotheca, heritable lysis of germinating, 254
Ustilago, X-ray effects on germination, 175
Chlorogenus spp., transmission through dodder, 649
callistephi var. vulgaris, mechanical transmission and behavior in vector, 120
Chloropicrin, nematode control by soil treatment with, 818
Chlorosis, citrus vein-, 860
in pin oaks, control by tree injections vs. soil treatments, 18
Chokecherry, western- (see Prunus demissa)
CHRISTENSEN, J. J., (4), 200
Chromoprotein, leaf-, relation to synthesis of virus protein, 978
quantitative determination technique, 980
CIFERRI, RAFFAELE, 960
Cirsium arvense, Puccinia suaveolens on, systemic mycelia from urediospores, 4
Citrivir, as genus name for citrus viruses, 356
italicum n. sp., citrus mottling virus, 357
psorosis n. sp., citrus psorosis virus, 357
var. **anulatum** n. var., citrus psorosis virus-B, 357
var. **vulgare** n. var., citrus psorosis virus-A, 357
heat resistance, 861
Citrus, Armillaria root infection, factors in, 859
temp. relations, 3
heat resistance of tissues, 861
nutrient deficiencies and excesses in, symptoms, 860
psorosis, diamond canker of French prune compared, 895
heat resistance of A- virus, 861
viruses, nomenclature system suggested, 356
Cladosporium spp., in chemically treated lumber stain, 272
CLAYTON, C. N., (13), (14), (296)
CLAYTON, E. E., 6, 1140
Clitocybe tabescens, pear tree infection (exp.), 93
pure culture inoculation method, 93
tung tree root rot associated, 93
Clove oil, crown gall on almonds controlled by, 956
Clover, alsike- (see Trifolium hybridum)
red- (see Trifolium pratense)
white Dutch-, basidiomycete killing, 1058
Clubroot, cabbage-, 18
Coccomyces hiemalis, on cherry, control by copper fungicides, 22
on sour cherry, field spray tests (interstate cooperative), 1047
COCHRAN, L. C., 860, (861)
COLE, JOHN R., (768)
Collembola sp., potato pit-scab role, 9
Colletotrichum spp., diagnosis of latent infections by methyl bromide, 570
papaya latent infection, diagnosis, 570
destructivum, sporulation, loss of, 5
falcatum, on sugar cane, spore load vs. incidence of infection, 767
virulence, origin of loss in culture, 767
glycines, thermal death point, 264
gossypii, thermal death point, 264
lindemuthianum, on snap beans, diagno-

sis of latent infection by methyl bromide, 570
nicotianae, thermal death point, growing conditions vs., 264
COLLINS, DONALD L., (19), (657)
Collins, James Franklin, biographical sketch and portrait, 475
Collybia velutipes, growth rate, comparisons, 826
Commelina nudiflora, mosaic, virus hosts and classification, 756
Compost, "ratsnest," boron deficient in, 468
CONDIT, IRA A., 561
Conidiobolus spp., insects parasitized by, 10
Conifers, mycorhizas of, in Germany, 567
CONNERS, I. L., 1056
COOLEY, J. S., 6
Copper deficiency in citrus, 860
Copper fungicides (see under Fungicides)
Cordwood, decayed, chemical composition and calorific value, 22
CORMACK, M. W., (1058)
Corn, Basisporium cob rot, factors influencing infection, 21
dent, bacterial wilt, susceptibility of inbreds to, and age relations, 7
Diplodia zeae, spread in pith of hybrid vs. inbred lines, 20
Gibberella saubinetii spread in pith of hybrid vs. inbred lines, 20
Helminthosporium maydis infection, distribution and general study, 508
Phoma terrestris infecting (exp.), 913
rusts, identity and distribution, 856
Sorosporium smut, on male inflorescence, 1046
Ustilago smut, chlamydospore germination variations, 333
on male inflorescence, 1046
pathogenicity of paired haploid lines vs. numerous mixed haploids, 1051
Corticium vagum, potato tuber disinfection for, 812
Cortinarius spp., mycorhizal, on conifers, 568
Cotton, Alternaria stem blight, general study, 664
angular leaf spot, wind dissemination, 4
boll rot, anthracnose and angular leaf spot organisms associated in, 24
fungi on seeds and bolls (1938–40), 769
Fusarium wilt, and cross inoculations, 1
pathogenicity of isolates to vars., 770
regional varietal studies, 770
nematode distribution in, 771
and phosphorus relations, 771
solution-culture methods for inoculation, 549
mineral deficiency symptoms in greenhouse, 771
Phymatotrichum root rot, inoculations in sand culture, technique, 358
resistance to, field selection tests for, 452
root knot resistance, 771
seed, fuzzy vs. mechanically delinted, 769
germination of treated, as influenced by storage, 768
seed treatments, by organic mercurials, mode of action, 768
for seedling diseases, 1078
tests in 1940, 769
seed-borne infections, hazard of, 1078
seedling and boll infections, fungi associated, 158
seedling diseases, control by seed treatments, 1078
probability law in, 1078
southern sclerotial rot in Arizona, 944
varietal reactions to Fusarium wilt and root knot, 1099
COUCH, J. N., (5)
Cowpea, Fusarium wilt, and cross inoculations, 1
mosaic of, distribution, hosts, transmission and general study, 420
virus properties, 424
root knot parasitism in leaves and stems, 637
CRALLEY, E. M., (279)
Crinkle, strawberry-, stunt infection plus, 850
Cronartium spp., flexuous hyphae in, 4
occidentale, differentiation, pH method as influenced by temp., 1
ribicola, differentiation, pH method as influenced by temp., 1
on red currant, relative susceptibility and potential inoculum volume, 732
Crop plants, rotation (see Rotation)
Crop yields, missing plants vs., determination method, 3
Crown diseases, pine-, 25
Crown gall (see also Overgrowths; Tumors)
on almond, 956
comparative physiology of bacteria of, 964
growth substance relations, 19
invading overgrowths in, 15
sunflower-, secondary tumor and strand development in, 135
on tomato, 11
Cruciferes, bacterial black rot, notes, 347
Cucumber, downy mildew, copper fungicides as influenced by Al in control of, 860
mosaic, virus, relation to commelina mosaic virus, 756
virus-1, behavior in roots vs. aerial parts of exp. hosts, 577
Phoma terrestris infecting (exp.), 913
virus inoculations, 579, 580
Cucurbita moschata, curly top reactions of, 860
Cucurbits, mosaics, transmission via dodder, 13, 652
viruses of, insect transmission, 8
Cultures, single-spore terminology, 471
CUMMINS, GEORGE B., 856
Cunninghamella **meineckella** n. sp., pine root disease due to, 1076

Cupressus spp., Cytospora canker, general study, 896
sempervirens var. stricta, Cytospora canker, general study, 896
Curly top, Cucurbita reactions to, 860
dodder histological relation to hosts infected by, 861
sugar beet-, resistance vs. host age, 861
virus, leaf hopper vector relations to strains, 8
strain combinations, 8
transmission via dodder, 13, 652
on tomato, plant populations in relation to, 864
Currant, red (see Ribes vulgare)
Curves, toxicity-, of compounds as rated by different fungi, 16
Curvularia sp., grass disease caused by (?), 24
Cuscuta californica, histological relation to healthy vs. curly-top-infected sugar beet and tobacco, 861
campestris, viruses transmitted via, 13, 649
Cushaw, curly top reactions of, 860
Cuttings, carnation-, as influenced by growth substances vs. K-permanganate, 14
Philodendron, abnormal rooting vs. Ca-deficiency, 844
Cymadothea trifolii, red clover resistance to, 766
Cymbopogon citratus, Helminthosporium eye spot, 186
Cynoglossum amabile, virus inoculations, 579, 580
Cypress, Italian (see Cupressus sempervirens var. stricta)
Cytospora cenisia f. **littoralis** n. f., cypress canker due to, history, distribution and general study, 902

Dahlia, invading overgrowths in, 15
DAINES, R. H., (10)
Dallas grass (see Paspalum dilatatum)
Damping-off, of broadleaf seedlings, forms and rotation effects, 857
cotton-, 1078
fungi associated, 158, 679
as influenced by nitrates, and control by glucose, 858
of longleaf pine, 1011
rhubarb Pythium, 863
DANA, B. F., 168, 860
DARLEY, ELLIS F., 953
Datura stramonium, virus inoculations, 580
DAVIDSON, ROSS W., 6, 82
DAVIS, B. H., 6
DAVIS, WILLIAM C., 1011
Decays (see Rots)
DECKER, PHARES, (3)
Deficiency diseases (see also Physiological diseases)
boron-, in beet, 23
in gloxinia, 467
in slipperwort, 469
citrus-, 860
cotton mineral-, 771
peanut mineral-(?), 948
Philodendron cuttings abnormally rooted, Ca-deficiency role, 844
Defoliation disease, of holly cuttings, Rhizoctonia-induced, 6
Demonstration specimens, storage and mounting technique, 763
Dermacentroxenus, as virus genus, 23
Diabrotica soror, as vector of cucurbit viruses, 8
trivittata, as vector of cucurbit viruses, 8
DIACHUN, STEPHEN, 97
Diagnosis, of Colletotrichum latent infections, by methyl bromide, 570
Diamond canker, of French prune, virus-induced (?), 886
Dianthus barbatus, Fusarium wilt (new) of, 1054
DICKSON, B. T., (181)
DICKSON, JAMES G., 200
Diffusion, forced, vapor pressure gradient above transpiring leaf following same general equation as for, 1040
DIMOCK, A. W., 87
DIMOND, ALBERT E., 7, (12)
Diplodia spp., in chemically treated lumber stain, 272
on cotton, 160
gossypina, cotton boll and seedling infection, 769
zeae, on corn, spread in pith, 20
Diseases (plant), book review, 960
of cereal and forage crops in northern U.S.A., 200
data in complex factorial designs, handling and interpreting, 26
epidemiology, 215
grass-, control by selection and hybridization, 1
insect transmission, book review, 98
in oak-hickory stands in Iowa, 99
parasitic, book review, 100
phanerogamic, book review, 960
root-infecting types, solution-culture inoculation methods, 549
vegetable crop-, book review, 98
Dissociation, microbic, in Bacterium phaseoli, 10
Distribution of: Angiopsora zeae, 856
Ascochyta majalis, 13
cowpea mosaic, 420
Cytospora cenisia f. littoralis, 896
elm mosaic, 22
Fusarium sp. on lupines, 771
Fusarium perniciosa, 599, 615
Fusicladium saliciperdum, 1056
Fusicoccum amygdali, 10
line-pattern virosis of stone fruits, 1004
Mycosphaerella louisianae, 228
Mycosphaerella populicola, 251
Mycosphaerella populorum, 242
Myriogenospora sp. on sugar cane, 564
Physalospora miyabeana, 1056
Puccinia polysora, 856
Sclerospora macrospora, 768
Sclerotinia spp., 718
Ditylenchus dipsaci, soil treatments with volatile liquids for, 818

Dodder, histological relation to healthy vs. curly-top-infected sugar beet and tobacco, 861
Dodder, viruses transmitted via, 13, 649
Dolichos lablab, tobacco ring spot inoculations, 580
DORRELL, WILLIAM W., 7
DRECHSLER, CHARLES, 478, 773
Dressings, antiseptic, for wounds, 24
DUBUY, H. G., (25), (978)
DUGGAR, B. M., (19)
DUNEGAN, JOHN C., 189
DUNLAP, A. A., 358
DURRELL, L. W., (4), (322)
Dutch elm disease (See Ceratostomella ulmi)
DYKSTRA, T. P., 7

Echinochloa crusgalli, root rot and basal stem rot, weevil relations to, 832
EDGECOMBE, A. E., 825
EDGERTON, C. W., (569)
Egg yolk, downy mildew conidial stimulation by, 865
EGGERS, VIRGINIA, (15)
Eggplant, Phoma terrestris infection (exp.), 914
Verticillium albo-atrum infection (exp.), 1134
EHRLICH, JOHN, 763, (803)
Elgetol, crown gall on almonds controlled by, 956
as eradicant spray for apple scab, 13
ELLIOTT, CHARLOTTE, 7
Elm (see Ulmus)
dwarf Asiatic (see Ulmus pumila)
Elsinoë randii, pecan nursery blight caused by, fungicidal control, 768
Emetic principle, of scabby barley, concentration and characterization, 871
Emilia sonchifolia, root knot parasitism in leaves and stems, 636
Enations, shoot-, on Nicotiana glutinosa leaves, cause unknown, 2
Endoconidiophora spp., in chemically treated lumber stain, 272
Entomophthora spp., insects parasitized by, 10
Entomosporium maculatum, overwintering on dead leaves, 18
Epidemiology, of plant diseases, 215
Errata, PHYTOPATHOLOGY (vol. 30), 377
Erysiphe spp., conidia, substances stimulatory to, 865
cichoracearum, on cantaloupe, resistance of host strains to races of, 863
on lettuce, resistance inheritance, 534
physiologic races, 539
potato powdery mildew due to (?), 357
thiamin effects on, 863
solani, on potato, 358
Esters, losses in sterilization, 153
Etch, tobacco-, virus, quantitative measurements, 12
Ethylene chloride, nematode control by soil treatments with, 818
EVANS, A. W., (463), 469
Experimental technique (see under Technique)
Eye spot, lemon grass Helminthosporium, 186
Napier grass Helminthosporium, 855

Factorial designs, disease data in complex, handling and interpreting, 26
Fagopterum esculentum, virus inoculations, 579
Fagus spp., Phytophthora bleeding canker, 863
control by tree injection, 12
grandifolia, Stereum murrayi on, 82
FAWCETT, HOWARD S., 356, 861
FELIX, E. L., 9
Fertilizers, effect on apothecial development in Sclerotinia, 1023
wheat yields as influenced by seed disinfection and, 385
Ficivir caricae n. gen. and sp., for fig mosaic, 563
Fig, Cephalosporium leaf spot, 771
mosaic, distribution and notes, 561
Ficivir caricae binomial proposed for, 563
FISCHER, GEORGE W., 674
FISHER, HERBERT, (10)
Flax, Fusarium wilt, resistance to, 4
variations in fungus, 4
rust, physiologic races, pathogenicity of aeciospores from selfing and crossing, 852
Flies, fungi parasitizing, 10
FLINT, L. H., 569
FLOR, H. H., 852
"Flordo," tobacco downy mildew controlled by, 286
Fluorescence, of diseased potatoes, nonspecificity, 569
potato bacterial ring rot differentiated by, 10
FOGELBERG, S. O., (14)
Fomes fomentarius, morphology and biology, 11
wood decay by, 11
Foot rot, annual stock Rhizoctonia, 87
wheat Helminthosporium, 383
Forage crops, diseases of northern U.S.A., book review, 200
FORBES, I. L., 767
Forest pathology, demonstration specimens, storage and mounting technique, 763
Forestiera neomexicana, bacterial olive knot on (exp.), 362
Fragaria virus-5, strawberry stunt (new) due to, 851
FRAMPTON, VERNON L., 9, 1040
FREITAG, J. H., 8
FRIEND, S., 861
Frog eye, tobacco Cercospora, 97
Fruit spot, guava algal-, 95
Fruits (see also Trees, orchard fruit; Stone fruits)
from Hawaii, quarantines on, 570
FULTON, ROBERT W., 575
Fumigants, soil-, for rodent control, 23
Fungus(i), air-borne populations, appraisal technique, 201
antagonisms among, 991
on barnyard grass, weevil relations, 832

growth rates, photoelectric determination method, 448
inheritance, in Sphaerotheca, 254
in Tilletia, 80
in Venturia, 1142
inoculum preparation by mechanical liquefier, 566
insects parasitized by, 10
mealy bug parasitized by, 5
mycorhizal, of conifers in Germany, 567
pine root-, crown and butt infections in artificial vs. natural stands, 25
in pine trunks in natural vs. artificial stands, 25
plant disease-, book review, 100
root-infecting forms, solution-culture inoculation methods, 549
thermal death point, genetic role, 264
growing conditions vs., 264
toxicities of compounds to, technique of measurement, 24
toxicity ratings of compounds by different, 16
toxins of, 991
wood-inhabiting, growth rates compared, 825
wood-rotting, differentiation methods, 6
wood-staining, in chemically treated lumber, 270
Fungicidal action, of gliotoxin, 1001
Fungicides, assay tests, hanging-drop method of applying, 1109
spore-germination method, 1108
copper-, Bordeaux effect on water loss from inert surfaces, 865
compatibility of "inert" ingredients of cuprous oxide, 8
deposition as influenced by Al, 860
downy mildew conidial stimulation by dilute, 865
effectiveness as influenced by Al, 860
soap spray, for tobacco downy mildew, 286
solubility as influenced by supplements, determination method, 17
tomato tests with, 10
effect on sour cherry yields and quality, 16
eradicant, for apple scab, 13, 296
Helione orange, Phytophthora canker of hardwoods controlled by injection of, 12
iodine, in potato scab and ring rot control, 954
mercurial-, cabbage clubroot control by, 18
cotton seed treatment by organic-, mode of action, 768
for potato tubers, acidulated $HgCl_2$, 812
wheat (disease-free and infected) seed as influenced by dust-, 379
organic, sterilization for use in culture solutions, methods quantitatively compared, 149
protective value, laboratory vs. field prediction, 12
for rose powdery mildew, as influenced by wetting agents, 16
silver sprays, fungicidal and adhesive properties, 17
"Spergon," as seed protectant for canning peas, 20
spore-germination tests of, duration of inhibition in, 24
sprays, coverage index vs. inoculum potential, measurement technique and relations, 7
sulphur, for downy mildew, evaluation, 865
effect on carotene in white-clover leaves, 556
toxicity ratings by different fungi, 16
for wound dressings, 24
Fusarium spp., on barnyard grass, weevil relations, 836
on cotton, seedling and boll injury association, 160, 769
in damping-off of longleaf pine, 1012
lupine hypocotyl rot by Martiella group-, distribution and general study, 771
solution culture infection methods for wilt-inducing, 549
sweet potato wilt due to, cross inoculations, 21
tobacco wilt due to, cross inoculations, 21
wilt forms and hosts, 1
bulbigenum var. lycopersici, pathogenic and culture variations in single-spore isolates of strains, 103
on tomato, epinasty as early symptom, 281
culmorum, on wheat, seed treatments for, by dust mercurials, 379
eumartii, on potato, diagnosis, 569
lini, culture and parasitic variations in, 4
moniliforme, on cotton, seedling survival statistics, 1088
nivale, turf snowmold caused by Typhula itoana vs., 940
oxysporum f. **barbati** n. f., sweet william wilt caused by, 1056
var. cubense, growth in soil, 91
as influenced by sodium nitrate, 564
perniciosum, cultural characters and variations, 600
life history and dissemination, 611
mimosa tree wilt caused by, distribution and general study, 599
vasinfectum, on cotton, pathogenicity of isolates to vars. compared, 770
regional varietal studies, 770
nematode distribution in, 771
and phosphorus relations, 771
varietal reactions to root knot and, 1099
Fusicladium saliciperdum, willow blight association rare in Canada, 1056
Fusicoccum amygdali, peach canker caused by, new to America, 10

GAINES, J. G., (6)
Gardenia, bacterial leaf spot (new), 192
fungus (new) leaf spot (Tuberculariaceae), 2

gardeniae (Phytomonas), 194
Garlic, smut resistance, 9
Gas, illuminating-, London plane tree rosy canker associated, 349
GENAUX, CHARLES M., 99
Genetics (see also Breeding; Inheritance) factors in strawberry yellowing defect due to, 1
Geranium, invading overgrowths in, 15
Gibberella saubinetii, barley infected by, emetic principle in, concentration and characterization, 871
on corn, spread in pith, 20
Giddings, N. J., 8, 861
Gilbert, William Williams, biographical sketch, portrait and bibliography, 961
necrology, 375
GLICK, P. A., 201, 216
Gliocladium fimbriatum, toxin, extraction technique, 993
production, stability, and activity, factors influencing, 991
Gliotoxin, extraction technique, 993
factors in production, stability and activity, 991
fungicidal properties, 1001
Glomerella cingulata, camellia anthracnose caused by (?), 6
gossypii, on cotton, boll rot association of Bacterium malvacearum and, 24
seedling and boll infection, 158, 769
seedling survival statistics, 1088
Gloxinia, boron deficiency disease, cause, description and control, 467
Glucose, in damping-off control, 857
Glucosides, losses in sterilization, 153
GOLDSMITH, G. W., 452
Golf courses, turf disease (new), Curvularia or Helminthosporium causing, 31
Goodwin, M. K., 8
Gossypium hirsutum, Verticillium albo-atrum infection (exp.), 1134
GOTTLIEB, MANFRED, 944
GRANOVSKY, A. A., 9
Grape, muscadine-, leaf spots and berry rots, 767
Pierce's vine disease, development and spread, 862
Graphium rigidum, in chemically treated-lumber stain, 272
Grass(es), barnyard- (see Echinochloa crus-galli)
"bends" disease (new), cause unknown, 674
diseases of forage-, control by selection and hybridization, 1
eastern snowmold, Typhula itoana causing, 940
fungus turf disease (new), Curvularia or Helminthosporium causing, 24
Helminthosporium eye spot, reactions of Napier and Merker grasses and crosses to, 855
killing by basidiomycete, 1058
smuts, sori from ovarial and staminal tissues, variations in, 1046
variations in cultures of, 761
GREANEY, F. J., (379)
GREATHOUSE, GLENN A., 149
GROVES, A. B., (1047)
Growth rates, determination in fungi, photoelectric method, 448
Growth substances, in aphid extracts, 15
in cabbage leaf extracts, 15
crown gall relations, 19
effect on carnation cuttings, 14
invading overgrowths induced by bacteria vs., 15
Guava, algal leaf and fruit spot, 95
Guignardia **n. sp.**, grape (muscadine) berry rot caused by, 768
bidwellii, muscadine grape black rot fungus differing from, 767
Gum pockets, in citrus, 861
Gymnoconia spp., flexuous hyphae in, 4
Gymnosporangium clavipes, flexuous hyphal fusions in, 4

HAENSELER, C. M., 10
Hairy root, comparative physiology of bacteria of, 964
HANSING, E. D., 1043
HANSON, E. W., 832
Hardwoods, defects in oak-hickory stands in Iowa, 99
heartrots, differentiation methods, 6
lumber, staining in chemically treated, 272
Phytophthora canker, control by tree injection, 12
Stereum murrayi associated heartrot and cankers of, 82
Harposporium **diceraeum** n. sp., nematodes parasitized by, 799
helicoides n. sp., nematodes parasitized by, 794
oxycoracum n. sp. nematodes parasitized by, 796
HARRAR, J. G., (5), 10
HARRISON, A. L., 749
HARTER, L. L., 26, 961
HARVEY, R. B., 10
HAWKINS, B. S., (1)
Heartrot(s), of black cherry, differentiation, 6
by Fomes fomentarius, 11
hardwood-Stereum murrayi association, 82
oak-, differentiation, 6
Heat therapy, of aster yellows, 14
HEBERT, T. T., (770)
HEDGES, FLORENCE, 10
Helianthus annuus, tobacco ring-spot inoculations, 580
Helichrysum bracteatum, Verticillium wilt, 1130
Helione orange, Phytophthora bleeding canker of hardwoods controlled by injection of, 12
Helminthosporium spp., on barnyard grass, weevil relations, 836
grass disease caused by (?), 24
geniculatum, in chemically treated lumber stain, 272
maydis, corn disease caused by, distribu-

tion, morphology and general study, 508
physiologic races, 508
ocellum, lemon grass eye spot caused by, 186
sacchari, reactions of Napier and Merker grasses and their crosses to, 855
sativum, on wheat, seed treatments by dust mercurials for, 383
HENDERSON, R. G., 10
HEPTING, GEORGE H., 99
Heterodera marioni, biology and giant cell development, 642
on cotton, distribution in regional wilt plats, 771
numerical evaluation of infestation, 1099
resistance to, 771
varietal resistance to Fusarium wilt and, 1099
effect on tomato wilt, 749
feeding before and during root entry, 862
parasitism in leaves and stems, 634
soil moisture relations, 862
soil treatments for, 821
in tobacco plant-beds, soil treatments for, 6
wound infestation, 641
HEUBERGER, J. W., 11, 12
HEWITT, WM. B., 862
Hickory-oak stands, defects in, in Iowa, 99
HILBORN, M. T., 11, (22)
HILDEBRAND, E. M., 11, 353, 355
Hirsutella spp., insects parasitized by, 10
Holly, Rhizoctonia defoliation of cuttings, and control, 6
HOLMES, FRANCIS O., 12, 1089
HOLTON, C. S., 74
HOPPERSTEAD, S. L., 12, (13)
Hops, downy mildew, sporulation injury by, 841
HORNE, W. T., (561)
HOWARD, FRANK L., 12
HOYMAN, WILLIAM G., 871
HUBER, GLENN A., 712, (1023)
HUTCHINS, LEE M., (19), (860)
Hybridization, of Tilletia spp., 80
Hydrogen-ion concentration, effect on X-ray inactivation of virus, 862
Hyphomycetes, nematodes (free-living terricolous) parasitized by, 773

Iberis umbellata, Rhizoctonia foot rot (exp.), 89
Illuminating gas, London plane tree rosy canker associated, 349
Immunity (see also Resistance)
acquired, virus use of term, 1061
viruses in relation to, 1059
against viruses, competition vs., 23
Inclusion bodies, of plant viruses, 760
tobacco mosaic-, leaf-starvation effects on, 1121
Infections, leaf-, by bacteria, watersoaking relation, 6
mechanism, microgical study method, 11
nutrient effects on, 10
Inheritance (see also Breeding; Genetics)
of bean leaf variegation, 26
fungus-, in Sphaerotheca, 254
in Tilletia, 80
in Venturia, 1142
lettuce, resistance to Erysiphe powdery mildew, 534
wheat, stem rust resistance, 558
Inoculation method, mechanical liquefier for inoculum preparation, 566
Inoculum potential, spray coverage index vs., measurement and relations, 7
Insecticides, arsenical-, compatibility of "inert" ingredients of calcium arsenate, 8
Insectivirus n. gen. (viruses), 23
Insects, air-borne populations, appraisal techniques, 201
economic, fungi parasitizing, 10
Insects as vectors, aster yellows by leaf hopper, mechanical transmission and multiplication in vector, 120
book review, 98
cereal root rot and basal stem rot by weevils, 837
cowpea mosaic by aphids, 423
of cucurbit viruses, 8
Dutch elm disease, by bark beetles, 19
by European elm bark beetle, 657
Fusarium perniciosum by ambrosia beetles, 611
grass root rot and basal stem rot by weevils, 832
potato pit-scab role, 9
potato yellow dwarf by clover leaf hopper, hereditary variation in, 3
strawberry stunt by aphids, 850
sugar beet curly top, leaf hopper relations to virus strains, 8
Iodine, crown gall on almonds controlled by, 956
in potato ring rot and scab control, 954
IRISH, CHARLES F., (22)
Iron deficiency, in cotton, symptoms, 771
Iron salts, chlorosis of pin oak controlled by, 18
Ironwood (see Ostrya virginiana)

JENKINS, ANNA E., 13, 194
JENKINS, WILBERT A., 767, 948
JOHNSON, E. M., (6)
JOHNSON, FOLKE, 13, 649
JOHNSON, JAMES, 679
JOHNSON, JOHN W., 1035
JOHNSON, H. W., (1)
Johnson grass (See Sorghum halepense)
JOHNSTON, J. C., (860)
JOLIVETTE, J. P., (23)
JONES, ELON K., 197
JONES, F. R., 765
JONES, WINSTON W., (340), 570
Juglans spp., Chalaropsis stem infection (exp.), 859

KADOW, KENNETH J., (8), 13, 23
Kalanchoë, invading overgrowths in, 15
KEITT, G. W., 13, 14, 296, 1142
KENDRICK, JAMES B., 14
Kentucky blue grass (see Poa pratensis)

KERNKAMP, M. F., 333, (761), 1051
KINCAID, RANDALL R., 286
KIRBY, R. S., 14, (24)
KLOTZ, L. J., 860, (864)
Köck, Gustav, biographical sketch, bibliography, and portrait, 867
KREUTZER, W. A., 907
KRAMER, M., (430)
KUENZEL, JOHN G., (99)
KUNKEL, L. O., 14

LACKEY, C. F., 861
Lactarius spp., mycorhizal, on conifers, 568
Lactuca spp., Erysiphe powdery mildew, 534
Marssonia panattoniana infecting, 17
LAMBERT, E. B., Chairman et al., 201
LANGFORD, M. H., (296), (1142)
LARGE, JOHN R., 768
Larix europea, mycorhizas of, in Germany, 568
LARSON, R. H., 14
LASKARIS, THOMAS, 254
LEACH, J. G., (7), 98
LECLERG, E. L., 49, 274
Leaf hopper(s), aster-, as vector of aster yellows, mechanical transmission and multiplication in, 120
clover-, as vector of potato yellow dwarf, hereditary variation in, 3
fungi parasitizing, 10
as vectors of sugar beet curly top, relations to virus strains, 8
Leaf roll, potato-, yield losses by, 3
Leaf spot(s), of Bromus inermis, Sclenophoma induced, 953
cherry Coccomyces, 22, 1047
cotton angular-, 4
boll rot association of organisms of anthracnose and, 24
fig Cephalosporium, 771
gardenia bacterial (new), 192
gardenia fungus-, 2
of grape (muscadine), 767
guava algal-, 95
pea-, Cercospora lathyrina induced, 1031
peanut-, 16, 770
pear Entomosporium, 18
poplar-, Mycosphaerella populicola causing, 250
Mycosphaerella populorum causing, 242
rice Cercospora, 19
strawberry Mycosphaerella, 239
strawberry Mycosphaerella purple, 225
Leaves, nematodes parasitizing roots vs., morphological comparisons, 645
root knot parasitism in, 634
transpiring, vapor pressure gradient above, 1040
water-soaking, effect on bacterial invasion, 6
Lecanostieta acicola, imperfect stage of Systremma acicola, 73
on pine, 73
Leek, smut resistance, 9
LEFEBVRE, C. L., (1), (1043)
Legumes, basidiomycete killing, 1058
Rhizoctonia root rot, 674
LEHMAN, S. G., 768
Lemon, red scale on, Bacillus "C" destroying, 864
Lemon grass (see Cymbopogon citratus)
Leptosphaeria salvinii, sclerotia, longevity, 279
Lethal dosage, of compounds, fungus ratings of, 16
Lettuce, Erysiphe mildew, resistance inheritance, 534
Marssonia shot-hole, hosts and overwintering, 17
LEVINE, MICHAEL, 15
LEWIS, F. H., (16)
LI, C. C., (753)
LIGHTLE, PAUL C., 15
Lightning injury, to tomato, symptomatology, 1017
Lily-of-the-valley, Ascochyta majalis infecting, and distribution, 13
Lime, effect on apothecial development in Sclerotinia, 1023
Line-pattern virosis (new), of stone fruits, distribution, relationships and general study, 1004
LINFORD, M. B., 634, 862
LING, LEE, 264, 617, 664
LINK, G. K. K., 15
LOCKE, S. B., (964)
LOEGERING, WILLIAM Q., 952
LONGRÉE, KARLA, (1040)
LORENZ, ROLLAND C., (82)
Lumber (see also Wood)
stain in chemically treated, fungi associated, 270
Lupines (see Lupinus)
Lupinus spp., Fusarium hypocotyl rot, distribution and general study, 771
LUTMAN, B. F., 702
LYNEIS, MARY M., (964)
Lysis, heritable, in germinating Sphaerotheca chlamydospores, 254

MCCALLAN, S. E. A., 16, (24)
MCCALLUM, A. W., (1056)
MCCLELLAN, W. D., 16
MCKELVEY, J. J., (10)
MCKELVEY, J. J., JR., (5)
MCKINNEY, H. H., 1059, (1140)
MCLEAN, D. M., 420
MCWHORTER, FRANK P., 760
MACHACEK, J. E., 379
Macrochelus sp., potato pit-scab role, 9
Macrophoma n. sp., grape (muscadine) berry rot caused by, 768
Macrosiphum pisi, as vector of cowpea mosaic, 423
solanifolii, as vector of cowpea mosaic, 423
Macrosteles divisus, as vector of aster yellows, mechanical transmission and multiplication in, 120
maculicola (Phytomonas), 347
Magnesium, deficiency in cotton, symptoms, 771

deficiency and excess, in citrus, 861
malvacearum (Bacterium), 24
(Phytomonas), 4
Manganese deficiency, in citrus, 861
in cotton, symptoms, 771
MANNS, T. F., (12)
Maple (see Acer)
Marmor spp., activity measurement, local lesion method, accuracy, 21
transmission via dodder, 649
cerasae n. sp., mottle virosis of Prunus spp., 467
cucumeris var. judicis, relation to commelina mosaic virus, 756
erodens, quantitative measurement of, 12
lineopictum n. sp., line pattern virosis of stone fruits, distribution, relationships and general study, 1009
medicaginis, concentration in tobacco at intervals after inoculation, 410
protein of, purification and properties, 394
nerviclarens n. sp., vein clearing viroses of Prunus spp., 467
tabaci, inactivation, nitrogen relations, 21
virus protein synthesis vs. leaf chromoprotein and cell metabolism, 978
var. **plantaginis** n. var., from Plantago spp., 1097
vastans, longevity and purification, 3
MARSH, PAUL M., (9)
MARSHAK, ALFRED, 862
Marssonia panattoniana, lettuce shot hole caused by, hosts and overwintering, 17
MARTIN, E. A., (7)
MARTIN, W. J., 761, (1051)
Matthiola incana, Rhizoctonia foot rot, 87
MAXWELL, L. R., (175)
MAY, CURTIS, 15, 349
Mealy bugs, fungi parasitizing, 5, 10
MEINECKE, E. P., 289
Melampsora spp., flexuous hyphae in, 4
lini, hybrid, heteroecism(?) in, 854
physiologic races, pathogenicity of aeciospores from selfing and crossing, 852
Melampsorella spp., flexuous hyphae in, 4
Melanconium **n. sp.**, grape (muscadine) berry rot caused by, 768
Melanophila californica, larval galleries, effect on liquid conduction in wood, determination, 1035
Melilotus spp., basidiomycete killing, 1058
resistance to fungus parasites, 766
Rhizoctonia root rot, distribution and importance, 674
Mercurials, fungicidal (see under Fungicides)
MEREDITH, CLIFFORD H., 91, 564
Meria **coniospora** n. sp., nematodes parasitized by, 792
Merulius lacrymans, growth rate, comparisons, 826
Metabolism, plant cell-, relation to synthesis of virus protein, 978
Metcalf, Haven, biographical sketch, portrait and bibliography, 289
necrology, 376
Methyl bromide, Colletotrichum infections (latent) diagnosed by, 570
Metropolitan bent grass (see Agrostis palustris)
Mice, orchard injuries by, control, 23
Microorganisms, air-borne populations, appraisal techniques, 201
virus inactivation by growth products of, 690
Microsphaera spp., conidia, substances stimulating, 865
Microsurgical method, cellular applications, 11
MIDDLETON, G. K., 351
MIDDLETON, JOHN T., 863
Mildew(s), cantaloupe downy-, 769
cantaloupe powdery-, 863
downy-, control by sulphur fungicides, evaluation, 865
sporulation injury associated, 741
lettuce Erysiphe, 534
oats downy-, 768
potato Erysiphe, 357
powdery-, conidia, substances stimulatory to, 865
rose powdery-, 16
tobacco Peronospora, 286
MILES, L. E., 768
MILLER, H. J., (1047)
MILLER, LAWRENCE I., 16
MILLER, P. A., 863
MILLER, PAUL R., (24), (158), 769
Millet, Phoma terrestris infecting (exp.), 913
MILLIRON, H. E., (832)
MILLS, W. D., 16, (355)
Mimosa tree (see Albizzia julibrissin)
Mites, potato pit-scab hole, 9
Molds, toxins of, 991
Moles, plant injuries by, control, 23
"Monosporous," "single-spored" vs., 471
MOOK, PAUL V., (23), (349)
MOORE, ELIZABETH JANE, (448), (452)
MOORE, J. D., (13)
MORRIS, H. E., (1)
Mosaic(s), acquired immunity relations, 1059
alfalfa-, symptoms, as influenced by virus concentration, 418
virus, activity measurement, local lesion method, accuracy, 21
concentration in tobacco at intervals after inoculation, 410
extraction technique, 411
inactivation *in vivo*, 415, 419
purification and properties of protein of, 394
bean-, virus, Bacterium phaseoli associated, and nutrient relations, 10
behavior in roots vs. aerial parts of exp. hosts, 577
bean-leaf variegation resembling, 26
commelina-, virus, hosts and classification, 756
cowpea, distribution, hosts, insect transmission and general study, 420
virus properties, 424

cucumber-, virus, relation to commelina mosaic virus, 756
virus-1, behavior in roots vs. aerial parts of exp. hosts, 577
cucurbit-, transmission via dodder, 13, 652
elm-, new mottled-leaf-, 22
fig-, distribution and notes, 561
Ficivir caricae binomial proposed for, 563
peach-, strain incidence and eradication in Colo., 4
varietal reactions to, 329
virus, hosts, in W. Colo., 322
peach rosette-, case report, 353
potato rugose-, virus, movement and route, 7
prune-, peach infection (exp.), 355
squash-, virus, insects transmitting, and properties, 8
tobacco-, changes in N and virus content of detached leaves in darkness, 1117
inclusion bodies, leaf-starvation effects on, 1121
resistance to, Ambalema vs. glutinosa types, significance, 1140
transmission via dodder, 13
virus, activity measurement, local lesion method, accuracy, 21
Brazilian bean vars. as indicators, 430
effect on cellular oxidation, 25
inactivation, nitrogen relations, 21
by X-rays vs. pH, 862
inactivator from yeast, 864
multiplication, host growth vs., 861
P nutrition vs., 861
new var. from rib grass, 1089
-protein, synthesis vs. leaf chromoprotein and cell metabolism, 978
starvation effects on stream double refraction, 1121
transmission via dodder, 653
virus-1, behavior in roots vs. aerial parts of exp. hosts, 577
white clover-, virus, transmission via dodder, 13
virus-1, transmission via dodder, 654
Mottle, peach-, virus-induced, 860
MOULTON, JAMES E., (15)
MURPHY, D. F., (8)
Mycology, plant disease-, book review, 100
Mycorhizas, on conifers, in Germany, 567
nutritional and ecological relations, 567
Mycosphaerella **n. sp.**, as Cercospora brachypus perfect stage, 767
fragariae, Ramularia tulasnei as imperfect stage, 239
louisianae n. sp., strawberry purple leaf spot due to, distribution and general study, 236
populicola n. sp., poplar leaf spot due to, distribution, hosts and general study, 250
Septoria populicola as imperfect stage, 241
populorum n. sp., poplar leaf spot due to, distribution, hosts and general study, 242
Septoria musiva as imperfect stage, 241
Myriogenospora sp., sugar cane infection and distribution, 564
Myzus persicae, extracts of cabbage leaves and, effect on oats coleoptile test, 15
as vector of cowpea mosaic, 423

Nanus **cupuliformans** n. sp. (=strawberry stunt virus), 851
Narcissus nematode, soil treatments for, 818
NEAL, D. C., 769
Necrosis, giant cactus bacterial (new), 15
of snap bean tissues, 767
tobacco-, virus activity measurement, local lesion method, accuracy, 21
Needle disease, pine Systremma brown spot-, 61
Nemacides, volatile, soil treatment by, 818
Nematoctonus n. gen. (Hyphomycetes, Mucedinaceae), 779
leiosporus n. sp., nematodes parasitized by, 779
tylosporus n. sp., nematodes parasitized by, 779
Nematodes (see also Aerobeloides; Anguillulina; Heterodera; Plectus; Pratylenchus; Rhabditis; Rotylenchus)
on cotton, distribution in regional wilt plats, 771
feeding before and during root entry, 862
free-living terricolous, Hyphomycetes parasitizing, 773
soil treatment with volatile liquids for, 818
species parasitizing roots vs. aerial parts, morphological comparisons, 645
NEWHALL, A. G., 17
Nicandra physaloides, virus inoculations, 579, 580
Nicotiana spp., commelina mosaic virus infecting (exp.), 756
crown gall on, temp. relations, 976
rib grass mosaic infecting, 1089
virus inoculations, 579, 580
glutinosa, shoot enations on leaves, cause unknown, 2
NIELSEN, L. W., 17
NIKITIN, A. A., 17
Nitrates, effect on damping off, and control by glucose, 858
Nitrogen nutrition, effect on tobacco mosaic virus, 21
Nitrogen starvation, in citrus, 860
effect on plant cell respiration, 981
Nomenclature, viruses, system suggested for citrus-, 356
NORRIS, D. O., (181)
Nurseries, rodent damage to, control, 23
NUSBAUM, C. J., 769, 770
Nutrition, nitrogen-, effect on tobacco-mosaic virus, 21
Nymphaea tuberosa, Pythium marsipium from leaves of, 506

Oak, California live- (see Quercus agrifolia)
live- (see Q. virginiana)
pin- (see Q. palustris)
Oak-hickory stands, defects in, in Iowa, 99
Oats-, coleoptile test, as influenced by extracts of cabbage leaves and aphids thereon, 15
covered smut, susceptibility of seed lots differing, 672
downy mildew, in Miss., 768
loose smut, susceptibility of seed lots differing, 673
Phoma terrestris infecting (exp.), 913
susceptibility of seed lots to smuts differing, basis, 672
Okra, Fusarium wilt, and cross inoculations, 1
virus inoculations, 579, 580
Olea spp., bacterial olive knot on (exp.), 362
Olive knot, bacterial, exp. hosts, 361
OLSON, ALVER J., 1063
Onion, downy mildew, sporulation injury by, 741
Phoma pink root, host-parasite relations, 907
smut resistance, 9
Orange, Chalaropsis stem infection (exp.), 859
Orchard fruits (see Trees, orchard fruit-)
Organic compounds, sterilization for use in culture solutions, methods quantitatively compared, 149
Osmanthus spp., bacterial olive knot on (exp.), 362
Ostrya virginiana, Stereum murrayi on, 82
Overgrowths (see also Crown gall; Tumors)
invading plant-, bacterial vs. growth-substance-induced, 15
OWENS, C. E., (469)
Oxidation, cellular, tobacco mosaic virus effect on, 25

Palm, date- (see Phoenix dactylifera)
PALMER, RALPH G., 18
Panama disease, banana Fusarium, 91, 564
Papaya, Colletotrichum latent infection, diagnosis by methyl bromide, 570
PARKER, K. G., (19), 657
PARRIS, G. K., 340, 570, 855
Paspalum dilatatum, ergot on, breeding for resistance, 1
Pathogens, inoculum preparation by mechanical liquefier, 566
Pathogens, root infecting forms, solution-culture inoculation methods, 549
Pathology, forest-, demonstration specimens, storage and mounting technique, 763
Pea, canning-, root rots, control by "Spergon" seed protectant, 20
Cercospora lathyrina leaf spot, 1031
Phoma terrestris infecting (exp.), 913
Rhizoctonia from potato vs. sugar beet on, 277
Rhizoctonia root rot, 674
root knot parasitism in leaves and stems, 636
Peach, bacterial shot hole, overwintering in buds, 12
buckskin, reaction of cherry vs., 864
symptoms, 917
Chalaropsis stem infection (exp.), 859
Fusicoccum canker, new to America, 10
mosaic, strain incidence and eradication in Colo., 4
varietal reactions to, 329
virus, hosts in W. Colo., 322
mottle, virus-induced, 860
ring rot virosis, 860
rosette-mosaic, case report, 353
Sclerotinia spp. on, 724
virosis (new) resembling X-disease, 19
wart, virus-induced, 859
X-disease-like virosis, 860
Peanut, leaf spot(s), control, by sulphur dust, 16
by copper-sulphur dusts and copper sprays, 770
mineral deficiency (?) disease, 948
Pear, Chalaropsis stem infection (exp.), 859
Chinese sand-, Entomosporium maculatum overwintering on dead leaves, 18
Clitocybe root rot (exp.), 93
Pecan, Elsinoë nursery blight, fungicidal control, 768
Pelargonium hortorum, Armillaria root-rot, temp. relations, 3
Penicillium spp., on barnyard grass, weevil relations, 836
Pentstemon spectabilis, Ascochytella stem spot (new), 194
Pepper, bacterial spot, variations in, 753
Phoma terrestris isolated from, 914
Peppery spot, cauliflower bacterial-, 347
Peronoplasmopara cubensis, copper fungicidal action as influenced by Al, 860
Peronospora spp., sulphur fungicide effects on, 865
destructor, on onion, sporulation injury by, 741
effusa, on spinach, sporulation injury by, 741
tabacina, on tobacco, control by copper-soap spray, 286
trifoliorum, alfalfa resistance to, 766
PEROTTI, RENATA, 100
PETERSON, A. G., (9)
PETERSON, P. D., 1108
PETTY, M. A., (333)
Petunia violacea, virus inoculations, 579, 580
phaseoli (Bacterium), 10
Phaseolus virus 2, isomeric crystals produced by, 760
Phenols, losses in sterilization, 153
Phillyrea decora, Phytomonas savastanoi inoculations on, 362
Philodendron giganteum, cuttings, abnormal rooting vs. Ca-deficiency, 844
Phoenix dactylifera, rhizosis of, Ceratostomella association and general study, 1123
Pholiota adiposa, growth rate, comparisons, 826
Phoma terrestris, onion pink root due to, host-parasite relations and hosts, 907

Phomopsis sp., tomato fruit rot due to, 24
tumors of elm and maple due to, 544
Phosphorus deficiency, in cotton, symptoms, 771
Photoelectric method, growth rate determination in fungi by, 448
Phragmidium spp., flexuous hyphae in, 4
Phylactinia spp., conidia, substances stimulating, 865
Phyllody, anatomy and morphology in bean and tomato vars., 168
Phymatotrichum omnivorum, ammonium-salt toxicity to, mechanism, 926
on cotton, inoculations in sand culture, technique, 358
resistance to, field selection tests for, 452
pH relations, 930
Physalospora miyabeana, willow blight association in Canada, 1056
Physiologic disease, cherry "physiological yellow leaf" not, 355
potato spindling tuber as, 346
Physiologic races of: bean rust, 26
Erysiphe cichoraceārum, 539, 863
Fusarium lini, 4
Helminthosporium maydis, 508
Melampsora lini, 852
Phytomonas vesicatoria, 753
Puccinia triticina, 5
"Physiological yellow leaf," cherry (sour), distribution, history and virus etiology, 355
Phytomonas (see also Bacterium)
barbareae n. sp., Barbarea vulgaris black rot due to, 348
campestris, in crucifers, notes, 347
gardeniae n. sp., gardenia leaf spot due to, 194
maculicola, in cauliflower, notes, 347
malvacearum, wind dissemination, 4
pruni, in peach, overwintering in buds, 12
rhizogenes, comparative physiology, 964
savastanoi, oleaceous hosts (exp.), 361
sepedonica, in potato, control, by iodine seed treatment, 954
"seed" treatments for, 7
differentiation by fluorescence, 10, 569
dissemination, 14
tomato infection (exp.) by, 14
stewartii, in corn, susceptibility and age relations of dent inbreds, 7
tumefaciens, in almond trees, chemical eradication, 956
comparative physiology, 964
crown gall growth substance relations, 19
host parasite and temp. relations on various hosts, 972
pathogenicity, basis, 964
in sunflower, secondary tumor and strand development in, 135
in tomato, infection mechanism, microgical study, 11
tumor formation by, mechanism of primary vs. secondary, 148
vesicatoria, variations in strains, 753
PHYTOPATHOLOGY, errata (vol. 30), 377
Phytopathology, manual, review, 960
Phytophthora cactorum, bleeding canker of hardwoods due to, control by tree injection, 12
infestans on potato, control by silver sprays, 17
Phytoviraceae new family (viruses), 23
Phytovirus n. gen. (viruses), 23
nicomosaicum var. **vulgare** n. nom. (= tobacco mosaic virus), 23
Picea abies, mycorhizas of, in Germany, 568
Pierce's grapevine disease, development and spread, 862
Pine, longleaf- (see Pinus palustris)
-lumber, staining in chemically treated, fungi associated, 272
western white- (see Pinus monticola)
western yellow- (see Pinus ponderosa)
Pineapple, root knot parasitism in leaves and stems, 637
Pink root, onion Phoma, 907
Pinus spp., Cunninghamella root disease (new), 1063
fungi in trunks in natural and artificial stands, 25
mycorhizas of, in Germany, 568
root, crown and butt fungi, susceptibility in artificial vs. natural stands, 25
Systremma brown spot needle disease, distribution and general study, 61
monticola, Armillaria mellea from, variations in culture, 803
palustris, damping-off symptoms, associated fungi and control, 1011
ponderosa, liquid conduction route in, silver nitrate stain showing, 1035
PIRONE, P. P., (6), 18, 100, 192, 960
Pisum virus 2, isomeric crystals produced by, 760
Pit-scab, potato Actinomyces, 9
PLAKIDAS, A. G., 18, 93, 225
Planetree (see Platanus)
Plantago lanceolata, mosaic (new var.) from, 1089
major, mosaic (new var.) from, 1089
Plantain, broad-leaved (see Plantago major)
Plants, virus behavior in roots vs. aerial parts, 575
Plasmodiophora brassicae, on cabbage, control by mercurials, 18
Platanus spp., Ceratostomella canker, transmission and control, 23
London plane tree var., rosy canker, illuminating gas injury associated, 349
Pleetus spp., Harposporium oxycoracum parasitizing, 797
Nematoctonus leiosporus parasitizing, 780
parvus, Acrostalagmus bactrosporus parasitizing, 782
Acrostalagmus obovatus parasitizing, 784
Cephalosporium balanoides parasitizing, 786

Harposporium diceraeum parasitizing, 799
Spicaria coccospora parasitizing, 787
Pleurotus ostreatus, growth rate, comparisons, 826
ulmarius, growth rate, comparisons, 826
Plum, Abundance, virus diseases of, 1004
myrobalan, peach ring rot grafted into, 860
peach mosaic on, 323
PLUMMER, BERNIE E., JR., 812
Poa annua, fungus disease (new), Curvularia or Helminthosporium causing, 24
pratensis, Helminthosporium leaf spot, breeding for resistance, 1
Podosphaera spp., conidia, substances stimulating, 865
Poinsettia, Sphaceloma scab, pathology and etiology, 947
Pollen, air-borne populations, appraisal techniques, 201
Poplar (see Populus)
Populus spp., Mycosphaerella populicola leaf spot (new), 250
Mycosphaerella populorum leaf spot (new), 242
Portraits, Collins, James Franklin, 475
Gilbert, William Williams, 961
Köck, Gustav, 867
Metcalf, Haven, facing p. 289
Portulaca oleracea, root knot parasitism in leaves and stems, 636
Potassium deficiency, in cotton, symptoms, 771
Potato, Actinomyces pit-scab, insect and saprophyte role, 9
control by iodine, 954
cyto- and histopathology, 702
bacterial ring rot, control, by iodine "seed" treatment, 954
"seed" treatments for, 7
diagnosis, by fluorescence, 10
nonspecificity, 569
dissemination, 14
tomato exp. infection, 14
blue stem, varietal reactions to, 5
Erysiphe powdery mildew of, 357
fluorescence of diseased, nonspecificity, 569
Fusarium stem-end rot, diagnosis, 569
leaf roll, yield losses by, determination method, 3
Phytophthora infestans on, control by silver sprays, 17
purple-top wilt, varietal reactions to, 5
Rhizoctonia on, control by tuber disinfection, 812
Rhizoctonia isolates from sugar beet vs., pathogenicity, 49, 274
ring-spot virus, behavior in roots vs. aerial parts of exp. hosts, 577
spindling sprout, nature, 340
tubers, shape, determination method, 184
shape and development, spindle-tuber diagnostic value, 181
disinfection by acidulated $HgCl_2$, advantages, 812
tuber pathogens, Botrytis and Sclerotinia as, 439
varieties, characterization by tuber dimensions, 184
viruses, movement and route, 7
Xylaria tuber rot, 936
yellow dwarf, virus, "longevity," factors influencing, 3
purification, 3
transmission by clover leaf hopper, hereditary variation in, 3
yields vs. missing plants, determination method, 3
Pratylenchus pratensis, feeding before and during root entry, 862
PRESLEY, JOHN T., 1135
PRICE, W. C., (21), 756
PROCTOR, B. E., 201, 213
Protein, virus-, properties in alfalfa mosaic, 394
quantitative determination technique, 980
Prune, French, diamond canker of, virus etiology (?), symptoms and bud and graft transmission, 886
Prune, mosaic, peach infection (exp.), 355
Italian-, Sclerotinia spp. on, 726
vein clearing virosis (new), 464
pruni (Phytomonas), 12
Prunus spp., Armillaria root rot, temp. relations, 3
buckskin of, distribution, pathology and virus strains, 916
line-pattern virosis (new) of, distribution relationships and general study, 1004
peach mosaic on, 323, 326
Tranzschelia pruni-spinosae discolor from, uredo- and teliospore germination, 189
vein clearing virosis (new), 463
virus disease (new) of, 14
cerasus, virus disease (new) of, 14
demissa, buckskin disease, 921
virosis (new) resembling X-disease, 19
domestica, diamond canker of Agen var., virus etiology (?), symptoms and bud and graft transmission, 886
mariana, Chalaropsis stem infection (exp.), 859
Prunus virus-7, mottle leaf virosis due to, 467
Prunus virus-8, vein clearing virosis due to, 467
PRYOR, DEAN E., (534), 863
Pseudococcus comstocki, fungus (new) parasitizing, 5
Pseudomonas group, Phytomonas gardeniae in, 194
Pseudoperonospora spp., sulphur fungicide effects on, 865
cubensis, on cantaloupe, control by fungicidal dusts, 769
humuli, on hops, sporulation injury by, 741
Pseudopeziza medicaginis, alfalfa resistance to, 765
meliloti, sweet clover resistance to, 766

Psorosis, citrus-, diamond canker of French prune compared, 895
heat resistance of virus-A, 861
Pteridovirus n. gen. (viruses), 23
Puccinia coronata, flexuous hyphal fusions in, 4
graminis, flexuous hyphal fusions in, 4
teliospores, longevity in laboratory, 197
tritici, urediospores, medium for germination, 952
on wheat, resistance, inheritance in crosses with Kenya vars., 558
helianthi, flexuous hyphal fusions in, 4
polysora, on corn, and distribution, 856
on teosinte, 856
sorghi, on corn, 856
suaveolens, on Cirsium arvense, systemic mycelia, urediospore origin, 4
heterothallism in, 4
triticina, physiologic races in Okla., 5
Pullularia spp., in chemicallly treated-lumber stain, 272
Pumpkin, curly top reactions, 860
Purple-top wilt, potato-, varietal reactions to, 5
Pythium spp., absence in damping off of longleaf pine, 1012
canning-pea root rot due to, control by "Spergon" seed protectant, 20
on cotton, 160
rhubarb crown rot due to, 863
tomato damping-off due to, control in transplants from sand, 2
debaryanum, damping-off of broadleaf seedlings by, rotation effects and control, 857
marsipium n. sp., infection in waterlily leaves, 505
morphology, cytology and life history, 492
oedochilum, morphology, life history and cytology, 478
palingenes, morphology, cytology, and life history, 486

Quarantines, on fruits and vegetables from Hawaii, 570
Quercus spp., heartrots, differentiation methods, 6
-Hicoria stands, defects in, in Iowa, 99
Phytophthora canker, control by tree injection, 12
agrifolia, Phytophthora bleeding canker, 863
palustris, chlorosis, control by tree injections vs. soil treatments, 18
virginiana, Phytophthora bleeding canker, 863
Quince, Chalaropsis stem infection (exp.), 859

Rabbits, plant injuries by, control, 23
radiobacter (Bacillus), 964
RAMSEY, GLEN B., 439
Ramularia tulasnei, Mycosphaerella fragariae as perfect stage of, 239
RANKIN, W. HOWARD, 19
"Ratsnest" compost, boron deficient in, 468
RAWLINS, T. E., (864), 916
READIO, PHILIP A., (657)
Red scale, on lemon, Bacillus "C" destroying, 864
Reports, American Phytopathological Society, annual meeting (1940), 362
Pacific Division meeting (1941), 859
Southern Division meeting (1941), 767
Resinous excrescences, on citrus, 861
Resistance (see also Immunity)
alfalfa, to fungus parasites, 765
Allium spp., to smut, 9
barley, to Ustilago nuda, 351
bean, to rust, 26
to tobacco mosaic virus, 430
cantaloupe, to powdery mildew, 863
corn, to Basisporium gallarum, 21
cotton, to Fusarium wilt, 771, 1099
to Phymatotrichum root rot, 452
to root knot, 771, 1099
cucurbits, to curly top, 860
elms, to Ceratostomella ulmi, 759
to Dutch elm disease, 21
flax, to Fusarium wilt, 4
grasses, to diseases, 1
lettuce, to Erysiphe cichoraceaum, 534
red clover, to fungus parasites, 766
rice, to Cercospora leaf spot, 19
sugar beet, to curly top, 861
sweet clover, to fungus parasites, 766
tobacco, to mosaic, 1140
tomato, to Fusarium wilt, root knot effects on, 749
wheat, to stem rust, 558
Respiration, plant-cell-, nitrogen starvation effects on, 981
tobacco mosaic virus effect on, 25
Reviews, book-, botany textbook, 677
defects in oak-hickory stands, 99
diseases of cereal and forage plants in northern U.S.A., 200
diseases of vegetable crops, 98
insect transmission of plant diseases, 98
parasitic plant diseases, 100
phytopathology manual, 960
Rhabditis spp., Harposporium helicoides parasitizing, 795
Meria coniospora parasitizing, 793
Nematoctonus leiosporus parasitizing, 780
Rhizoctonia spp., annual stock foot rot due to, 87
canning-pea root rot due to, control by "Spergon" as seed protectant, 20
in damping-off on longleaf pine, 1011
tomato damping-off by, control in transplants from sand, 2
solani, comparison of potato and sugar beet isolates, 274
on cotton, seedling and boll injury association, 160
seedling survival statistics, 1078

damping-off of broadleaf seedlings by, rotation effects and control, 857
on holly, defoliation of cuttings by, and control, 6
mold-toxin effects on, 991
pathogenicity of isolates from potato vs. sugar beet, 49
potato tuber disinfection for, 812
sweet clover root rot due to, distribution, importance and other hosts, 673
rhizogenes (Phytomonas), 964
Rhizoglyphus spp., potato pit-scab role, 9
Rhizosis, date palm Ceratostomella (?), 1123
Rhubarb, Pythium crown rot, 863
Ribes vulgare, white pine blister rust on, relative susceptibility and potential inoculum volume, 732
Rib grass (see Plantago lanceolata)
Rice, Cercospora leaf spot, resistance to, linkage of factors for, 19
Leptosphaeria stem rot, sclerotial longevity, 279
RICHARDS, B. L., 19
Ricinus sp., invading overgrowths in, 15
Rickettsia, as virus genus, 23
Rickettsiaceae, as virus family, 23
RIGLER, NEIL E., (149)
RIKER, A. J., 19, 964
Ring rot, peach virosis, 860
potato bacterial-, 7, 10, 14, 569, 954
Ring spot, potato-, virus behavior in roots vs. aerial parts of exp. hosts, 577
tobacco-, "acquired immunity relations," 533, 1059
effect on pollen and seed set, 527
symptoms in "recovered" plants, 23, 523
virus, activity measurement by local lesion method, accuracy, 21
behavior in roots vs. aerial parts of exp. hosts, 577
distinct strains of, 522
tobacco broad-, virus behavior in roots vs. aerial parts of exp. hosts, 577
RODENHISER, H. A., 175
Rodents, injurious, control, current research, 23
Root diseases, pine-, 25, 803, 1063
Root knot (see Heterodera marioni)
Root rots (see also Rots)
Armillaria-induced, 3
barnyard grass-, 832
citrus Armillaria, 859
Clytocybe, of pear and tung trees, 93
cotton Phymatotrichum, 358, 452
pea-, 20
sugar beet Rhizoctonia, 49
sweet clover Rhizoctonia, 673
tobacco Thielaviopsis black-, 6
wheat-, 379
Roots, nematode feeding before and during entry of, 862
nematodes parasitizing aerial parts vs., morphological comparisons, 645
pathogens entering via, solution-culture infection methods for, 549
virus behavior in aerial parts vs., 575
virus concentration in extracts of, 591
viruses in extracts of, thermal inactivation, 594
viruses inoculated into, factors influencing movement, 589
Rootstocks, rodent damage to, control, 23
Rosa spp., Chalaropsis stem infection (exp.), 859
Rose, Chalaropsis-induced bud-union failures, 859
powdery mildew, control as influenced by wetting agents in greenhouse, 16
ROSS, A. FRANK, 394, 410
Rotations, crop-, effect on damping off of broadleaf seedlings, 857
for tobacco bacterial Granville wilt control, 20
ROTH, ELMER R., (6)
Rots (see also Root rots; Heartrots)
Barbarea vulgaris black-, 347
barnyard grass basal stem-, 832
celery Cercospora greenish black-, 17
cherry Sclerotinia spp. brown-, 469
cordwood-, 22
corn Basisporium cob-, 21
cotton boll-, anthracnose and angular leaf spot organisms associated in, 24
fungi associated, 158, 769
cotton southern sclerotial, 944
crucifer bacterial black-, 347
Fomes fomentarius wood-, 11
grape (muscadine) black, 767
grape (muscadine) Macrophoma soft-, 768
grape (muscadine) Melanconium bitter-, 768
lupine Fusarium hypocotyl-, 771
potato bacterial ring-, 7, 10, 14, 569, 954
on tomato, 14
potato Fusarium stem-end-, 569
potato tuber-, Botrytis and Sclerotinia causing, 439
potato Xylaria tuber-, 936
rhubarb Pythium crown-, 863
rice Leptosphaeria stem-, 279
stone-fruit Sclerotinia brown-, 718
sugar cane red-, 767
tomato Phomopsis, 24
Rotylenchus erythinae, feeding before and during root entry, 862
reniformis, on cotton, distribution in regional wilt plats, 771
feeding before and during root entry, 862
RUEHLE, GEO. D., 95, 936, 947
Rugose mosaic, potato-, virus movement and route, 7
RUMBOLD, CAROLINE T., 19
Russula fragilis, mycorhizal, on pine, 568
Rusts, bean-, 26
of Cirsium arvense, Puccinia suaveolens causing, 4
corn-, 856
flax-, 852
on Prunus spp., Tranzschelia prunispinosae discolor-induced, 189

wheat leaf-, 5
wheat stem-, 197, 558, 952
white clover Uromyces leaf-, 554
white pine blister- (see Cronartium ribicola)
Rye, stem smut, infection and development factors and control, 617
RYKER, T. C., 19

Salix spp., blight of, Physalospora vs. Fusicladium as cause in Canada, 1056
Saltation, in Venturia inaequalis, 1142
in Verticillium albo-atrum, 1135
Salvia splendens, tobacco ring spot inoculations, 580
SAMPSON, H. C., (677)
Sapwood rot, by Fomes fomentarius, 11
savastanoi (Bacterium), 361
(Phytomonas), 361
Scab, apple Venturia, 7, 13, 296, 1142
poinsettia Sphaceloma, 947
potato Actinomyces, 702, 954
potato Actinomyces pit-, 9
scabies (Actinomyces), 9, 702, 954
Scale, red-, on citrus, Bacillus "C" destroying, 864
Sclerospora macrospora, on oats in Miss., 768
Sclerotia, of Leptosphaeria salvinii, longevity, 279
Sclerotinia spp., as potato tuber pathogens, 439
americana, mold toxin effects on, 1002
fructicola, apothecia, factors influencing development, 1023
conidial respiration, 9
hosts, host relations and cross inoculations in W. Washington, 718
on sweet cherry, incidence in Ore., 469
laxa, hosts, host relations and cross inoculations in W. Washington, 718
on sweet cherry, incidence in Ore., 469
Sclerotium spp., on cotton, 160
rolfsii, on cotton in Arizona, 944
sugar beet infection, 946
Scolytus multistriatus, as vector of Dutch elm disease, 19, 657
SCOTT, C. EMLEN, (14)
Sedum sp., crown gall on, temp. relations, 976
Seed transmission of: Cercospora sesami, 770
cowpea mosaic, 424
Seed treatment, benne, for Cercospora blight, 770
cereal, by Oklahoma hot-water seed treater, custom operation, 5
cotton-, germination vs. storage, 768
by organic mercurials, 768
for seedling diseases, 1078
tests in 1940, 769
for pea root rot, by "Spergon," 20
potato, for bacterial ring rot, 7, 954
wheat, for root rots, 379
for seed-borne diseases, 392
Seedling diseases, cotton-, 1078
Selenophoma bromigena, spore germination, types and factors influencing, 953
SEMENIUK, G., 20
sepedonica (Phytomonas), 7, 10, 14, 954
sepedonicum (Bacterium), 569
Serological tests, of crown gall, hairy root and radiobacter organisms, 968
Septoria musiva, Mycosphaerella populorum as perfect stage, 241
populicola, Mycosphaerella p. as perfect stage, 241
Sesamum indicum, Cercospora blight, control by hot water seed treatment, 770
Severe etch, virus behavior in roots vs. aerial parts of exp. hosts, 577
SHANOR, L., (1)
SHAPOVALOV, MICHAEL, 864
SHARVELLE, E. G., 20
SHAW, K. J., 21, (6)
SHAW, LUTHER, 770
SHEMA, B. F., (20)
SHERBAKOFF, C. D., 770
Shot-hole, celery Marssonia, 17
SHOWALTER, J. W., (10)
SILBERSCHMIDT, K., 430
Silktree (see Albizzia julibrissin)
Silver nitrate, liquid conduction route in wood shown by, 1035
Silver sprays, fungicidal and adhesive properties, 17
Single-spore cultures, terminology, 471
"Single-spored," "monosporous" vs., 471
Sinningia speciosa, boron deficiency disease of, cause, description and control, 467
SMITH, A. L., 771, 1099
SMITH, CLAYTON O., (189), 361
SMITH, RALPH E., 886
SMITH, T. E., 20, 21
SMITH, W. K., (765)
SMUCKER, S. J., 21, 758
Smut(s), of Allium spp., 9
barley loose-, 22, 284, 351
barley covered-, 175
cereal loose-, 5
corn Sorosporium, on male inflorescence, 1046
corn Ustilago, 333, 1051
on male inflorescence, 1046
grass-, sori from ovarial and staminal tissues, variations in, 1043
variations in cultures of, 761
rye stem-, 617
sorghum covered kernel-, 254
wheat loose-, 24
SNELL, WALTER H., 475, 732
Snowmold, of grasses, basidiomycete causing, 1058
turf-, eastern form, Typhula itoana causing, 940
SNYDER, W. C., 1054
Sodium dinitro-cresol, crown gall on almonds controlled by, 956
Sodium nitrate, effect on Fusarium oxysporum cubense, 564
Soil, Fusarium oxysporum var. cubense growth in, 91
Soil amendments, effect on apothecial development in Sclerotinia, 1023
Soil fumigants, for rodent control, 23
Soil treatments, for chlorosis of pin oaks, 18

in tobacco plant-beds, 6
SOKOLOFF, V. P., 864
solanacearum (Bacterium), 20
Solanum spp., virus inoculations, 579, 580
Sorghum, covered kernel smut, heritable lysis in germinating chlamydospores, 254
Phoma terrestris infecting (exp.), 913
Sphacelotheca smut sori on staminal tistues, diagnostic value, 1043
Sorghum halipense, Sphacelotheca sori on ovarial tissues, diagnostic value, 1043
Sorosporium everhartii, on Andropogon furcatus, sori on ovarial and staminal tissues, diagnostic value, 1043
reilianum, on corn male inflorescence, 1046
syntherismae, cultural variations in, 762
Soybean, Phoma terrestris isolated from, 914
Rhizoctonia root rot, 674
Specimens, demonstration-, storage and mounting technique, 763
SPENCER, ERNEST L., 21
"Spergon," as seed protectant for canning peas, 20
Sphaceloma sp., poinsettia scab due to, pathology, 947
Sphacelotheca cruenta, on sorghum, sori on staminal and ovarial tissues, diagnostic value, 1043
on Sorghum halepense, sori on ovarial tissues, diagnostic value, 1043
occidentalis, on Andropogon furcatus, sori on ovarial tissues, diagnostic value, 1043
sorghi, chlamydospores, heritable lysis in germinating, 254
on sorghum, sori on staminal and ovarial tissues, diagnostic value, 1043
solopathogenicity vs. lethal crosses, 261
panici-miliacei, cultural variations in, 762
Sphaerotheca spp., conidia, substances stimulatory to, 865
on rose, control as influenced by wetting agents in greenhouse, 16
Spicaria **coccospora** n. sp., nematodes parasitized by, 787
Spinach, downy mildew, sporulation injury by, 741
Phoma terrestris infecting (exp.), 913
virus inoculations, 579, 580
Spindle tuber, potato-, diagnosis by shape and development of tubers, 181
Spindling sprout, potato-, nature, 340
Spore germination tests, of fungicides, duration of inhibition in, 24
Spores, Ceratostomella, microagglutination, 15
fungus-, toxicity ratings of compounds by, 16
Spot, pepper and tomato bacterial-, 753
tomato bacterial-, 25, 753
Sprays, coverage index vs. inoculum potential, measurement technique and relations, 7
silver-, fungicidal and adhesive properties, 17
Squash, China-, curly top reactions of, 860
Phoma terrestris infecting (exp.), 913
Squash mosaic, virus, insects transmitting, and properties, 8
Stagonospora meliloti, alfalfa resistance to, 766
sweet clover resistance to, 766
Stain fungi, wood- (see under Wood staining)
Stain technique, for liquid conduction route in wood, 1035
Stalk rots, corn-, 20
STANDEN, J. H., 21
STANDRING, ELIZABETH T., (15)
STEINER, HANS, 867
STEINMETZ, F. H., 22
Stem spot, pentstemon Ascochytella, 194
Stemphylium botryosum, alfalfa resistance to, 766
sarcinaeforme, red clover resistance to, 766
Stems, nematodes parasitizing roots vs., morphological comparisons, 645
root knot parasitism in, 634
Stereum murrayi, in culture, 85
hardwood heartrot and canker association, 82
Sterilization, of organic compounds used in culture solutions, methods quantitatively compared, 149
stewartii (Phytomonas), 7
Stock, annual- (see Matthiola incana)
STONE, G. M., (6)
Stone fruits, Armillaria root rot, temp. relations, 3
brown rot, Sclerotinia spp. and host relations in W. Washington, 718
buckskin of, distribution, pathology, and virus strains, 916
reactions of different hosts to virus strains, 864
line pattern virosis (new) of, distribution, relationships and general study, 1004
peach ring rot grafted into various, 860
Sclerotinia brown rot, 9
apothecium development factors, 1023
Tranzschelia pruni-spinosae discolor from, uredo- and teliospore germination, 189
vein clearing virosis (new), 463
Strawberry, crinkle plus stunt infection, 850
everbearing-, yellowing in, genetic origin, 1
Mycosphaerella purple leaf spot (new), distribution and general study, 225
stunt, virus-induced (new), 849
Strawflower (see Helichrysum bracteatum)
Streak, tobacco-, virus behavior in roots vs. aerial parts of exp. hosts, 577
Stunt disease, strawberry-, new virus causing, 849
Sugar beet, curly top, resistance vs. host age, 861

virus, leaf hopper vector relations to strains, 8
strain combinations, 8
transmission via dodder, 13, 652
dodder relation to healthy vs. curly top-infected, 861
Rhizoctonia isolates from potato vs., pathogenicity, 49, 274
southern sclerotial rot, 946
Sugar cane, Myriogenospora infection and distribution, 564
red rot, incidence vs. spore load, 767
SULLIVAN, J. T., 554
Sulphur deficiency, in cotton, symptoms, 771
Sunflower, crown gall of, secondary tumor and strand development in, 135
Verticillium albo-atrum infection (exp.), 1134
Supplements, to copper fungicides, effect on solubility, determination method, 17
Susceptibility, corn, to bacterial wilt, 7
oats, to smuts, basis of differing reactions, 673
Sweet clover, resistance to fungus parasites, 766
Rhizoctonia root rot, distribution and importance, 673
Sweet potato, Fusarium wilt, and cross inoculations, 1, 21
Sweet william, Fusarium wilt (new), 1054
SWINGLE, R. U., 22
Sycamore (see Platanus)
Systremma **acicola** n. comb., pine brown spot needle disease due to, distribution and general study, 70

tabacum (Bacterium), 6, 957
TAKAHASHI, WILLIAM N., (862), 864, 1117
TALLEY, PAUL J., (926)
TAPKE, V. F., 22, 284
TAYLOR, A. L., (771)
TAYLOR, CARLTON F., 22, (1047)
Technique, air-borne microorganisms, etc., appraisal, 201
chromoprotein quantitative determination, 980
crop yields vs. missing plants, determination, 3
culture, single-spore, terminology, 471
culture media, for Actinomyces scabies, 714
downy mildew conidial stimulation by, 865
for Puccinia urediospore germination, 952
sterilizing organic compounds for, methods quantitatively compared 149
for Verticillium albo-atrum, 1135
diagnosis, Colletotrichum latent infections, by methyl bromide, 570
Cronartium spp., pH method vs. temp., 1
of loose smuts of barley, 284
potato bacterial ring rot, by fluorescence, 10, 569
of wood-rotting fungi, 6
experimental, disease data in factorial designs, 26
fungicides, assay tests, hanging-drop method of applying, 1109
spore-germination method, 1108
protective value, laboratory prediction, 12
solubility as influenced by supplements, determination method, 17
spore-germination tests, 24
sulphur, effects on downy mildews, evaluation, 865
testing, in liquid culture, 149
growth rate determination in fungi, photoelectric method, 448
infection mechanism, micrugical study method, 11
inoculation, for Armillaria mellea, 859
inoculum preparation by mechanical liquefier, 566
for Phymatotrichum omnivorum in sand culture, 358
solution-culture methods for Fusarium wilts, 549
for Ustilago nuda, 351
potato tuber shape determination, 184
selection for resistance, cotton to root rot, 452
specimens for demonstration, storage and mounting, 763
staining, for liquid conduction route in wood, 1035
sterilization of organic compounds for use in culture solutions, methods quantitatively compared, 149
toxicity ratings of compounds, fungus method, 16
viruses, activity measurement, local lesion method, accuracy, 21
extraction, 411
inactivation and reactivation by chemicals, mechanism, 681
indicator plant method, 430
quantitative measurements of, 12
study through dodder union of hosts, 13
TEMPLE, LAWRENCE, (5)
Teosinte, Puccinia polysora on, 856
Terminology, "single-spored" vs. "monosporous," 471
TERVET, IAN W., 672
Thallovirus n. gen. (viruses), 23
THARP, W. H., 26, 771
Thermal death point, fungus-, genetic role, 264
growing conditions vs., 264
Thermal inactivation, of viruses in root extracts, 594
Thiamin, effect on Erysiphe cichoracearum, 863
Thielaviopsis basicola, in tobacco plant-beds, soil treatments for, 6
THOMAS, H. EARLE, (916), (859), 864
THOMAS, W. D., JR., 567
THOMPSON, G. E., 241
THORNBERRY, H. H., 23
THURSTON, H. W., JR., 1047

TIFFANY, L. H., (677)
TILFORD, P. E., (22)
Tilletia levis, hybridization with T. tritici, 80
tritici, dwarf bunt form, on fall-sown spring wheat, 951
germination tests, culture, pathogenicity and hybridization, 74
Timber (see Lumber; Wood)
TIMS, E. C., 771
Tipburn, cabbage-, potash effects on, 18
TIPPETT, R. L., (564)
Tobacco, alfalfa mosaic inoculation, virus concentration at intervals after, 410
blackfire, epidemiology, light vs. water-soaking in, 957
bacterial Granville wilt, control by crop rotations, 20
broad ring spot, virus behavior in roots vs. aerial parts of exp. hosts, 577
Cercospora frog eye, conidial production in culture, 97
dodder-histological relation to healthy vs. curly top-infected, 861
etch virus, quantitative measurements of, 12
Fusarium wilt, absence following cotton and cowpea, 21
and cross inoculations, 1, 21
mosaic, changes in N and virus content of detached leaves in darkness, 1117
inclusion bodies, leaf-starvation effects on, 1121
resistance to, Ambalema vs. glutinosa types, significance, 1140
transmission via dodder, 13
virus, Brazilian bean vars. as indicators, 430
chemical inactivation and reactivation, mechanism, 679
effect on cellular oxidation, 25
inactivation, nitrogen relations, 21
by X-rays vs. pH, 862
inactivator from yeast, 864
multiplication, host growth vs., 861
P-nutrition vs., 861
new var. from rib grass, 1089
-protein, synthesis vs. leaf chromoprotein and cell metabolism, 978
starvation effects on stream double refraction, 1121
transmission via dodder, 653
virus-1, behavior in roots vs. aerial parts of exp. hosts, 577
Peronospora downy mildew, control by copper-soap spray, 286
plant-beds, soil treatments for weeds and diseases, 6
ring spot, acquired immunity relations, 533, 1059
effect on pollen and seed set, 527
symptoms in "recovered" plants, 23, 523
virus, behavior in roots vs. aerial parts of exp. hosts, 577
distinct strains of, 522
streak, virus behavior in roots vs. aerial parts of exp. hosts, 577
viruses, activity measurement, local lesion method, accuracy, 21
wildfire, epidemiology, light vs. water-soaking in, 957
mechanism of invasion, 6
Tomato, Alternaria early blight, copper spray tests for, 25
sprays for, timing and dosage, 11
bacterial spot, copper spray tests for, 25
variations in, 753
bushy stunt, transmission via dodder, 13, 652
copper fungicides tested on, 10
crown gall on, host-parasite relations, 972
infection mechanism, micrurgical study, 11
temp. relations, 975
curly top on, plant populations in relation to, 864
damping-off, control in transplants from sand, 2
Fusarium wilt, epinasty as early symptom, 281
root knot effect on, 749
variations in single-spore isolates of strains, 103
lightning injury, symptomatology, 1017
Phoma terrestris infecting (exp.), 914
Phomopsis fruit rot, 24
phyllody in vars., anatomy and morphology, 168
potato bacterial ring-rot infection (exp.), 14
root knot parasitism in leaves and stems, 635
Verticillium albo-atrum infection (exp.), 1134
virus inoculations, 579, 580
yields as influenced by copper sprays, 25
TOMPKINS, C. M., (467), 1130
TOOLE, E. RICHARD, 599
Toxicities, of compounds, to fungi, technique of measurement, 24
ratings by different fungi, 16
Toxicity diseases, citrus-, 860
TRANSEAU, E. N., 677
Transpiration, leaf-, vapor pressure gradient above, 1040
Tranzschelia pruni-spinosae discolor, uredo- and teliospore germination and factors influencing, 189
Trees (see also Lumber; Wood)
broadleaf-, damping-off, forms and rotation effects, 857
coniferous, mycorhizas of, in Germany, 567
hardwood-, defects in oak-hickory stands in Iowa, 99
heartrots, differentiation methods, 6
Phytophthora canker, control by tree injection, 12
Stereum murrayi-associated heartrot and cankers, 82
Trees, injections for pin oak chlorosis, 18
Trees, orchard fruit- (see also Fruits; Stone fruits)
rodent damage to, control, 23

Trichoderma spp., in damping off of longleaf pine, 1012
toxin of, production and extraction, 992
Trifolium spp., Rhizoctonia root rot, 674
hybridum, basidiomycete killing, 1058
pratense, basidiomycete killing, 1058
resistance to fungus parasites, 766
repens, carotene in leaves as influenced by sulphur treatment, 556
mosaic, transmission via dodder, 13
Uromyces leaf rust, effect on carotene content, 554
White Dutch var., basidiomycete killing, 1058
Truck crops, diseases, book review, 98
Tuberculariaceae, gardenia leaf spot due to fungus of, 2
Tubers, rodent damage to, control, 23
TUCKER, C. M., 844
Tulip, virus infections, current-season symptom development, production of, 838
methods compared, 838
TULLIS, E. C., 279
tumefaciens (Bacterium), 15
(Phytomonas), 11, 19, 135, 956, 964
TUMORS (see also Crown gall; Overgrowths)
Phomopsis-induced, in elm and maple, 544
Tung tree, Clitocybe-associated root rot, 93
Turf, eastern snowmold of, Typhula itoana causing, 940
fungus disease (new), Helminthosporium or Curvularia causing, 24
TUTHILL, C. S., (3)
TYLER, LEON J., (657)
Typhula itoana, eastern snowmold of grasses due to, 940

ULLSTRUP, ARNOLD J., (158), 508
Ulmus spp., Dutch elm disease, fungus, in bark beetle-infested wood, 19
microagglutination of fungus spores, 15
transmission by European elm bark beetle, 657
pathogenesis, 660
reactions compared, 21, 758
Phytophthora bleeding canker, 863
control by tree injection, 12
americana, Dutch elm disease, vascular invasion vs. vessel length, 2
mosaic, new mottled-leaf-, and distribution, 22
Phomopsis tumor of, 544
pumila, Chalaropsis root infection (exp.), 859
Ultraviolet light, potato bacterial ring rot detection by fluorescence under, 10, 569
Uncinula spp., conidia, substances stimulating, 865
Urediospores, cereal rust-, germination, medium for, 952
Urocystis cepulae, on Allium spp., resistance, 9
occulta, cross inoculations on wheat negative, 628
rye stem smut due to, infection, development factors and control, 617
Uromyces spp., flexuous hyphae in, 4
appendiculatus, on bean, resistance to physiologic races, 26
trifolii, red clover resistance to, 766
trifolii-repentis, on white clover, effect on carotene content, 554
Ustilago avenae, on oats, susceptibility of seed lots differing, 673
crameri, cultural variations in, 762
hordei, chlamydospores, germination, X-ray effects, 175
X-ray effects on, 175
levis, on oats, susceptibility of seed lots differing, 672
medians, untenability of sp., 22
neglecta, cultural variations in, 762
nigra, on barley, identification technique, 284
differentiation and relationships, 22
nuda, on barley, seed treatment by Oklahoma hot-water seed treater, 5
differentiation and relationships, 22
on fall-sown barley, resistance of vars. to, 351
inoculation technique, 351
sphaerogena, cultural variations in, 762
tritici, on wheat, seed treatment by Oklahoma hot-water seed treater, 5
varietal reactions to, 24
zeae, chlamydospores, germination variations, 333
inheritance of germination type in, 339
on corn male inflorescence, 1046
pathogenicity of paired haploid lines vs. numerous mixed haploids, 1051

VALLEAU, W. D., 6, 23, (97), 357, 522
Vapor pressure, gradient above transpiring leaves, 1040
Variegation, bean leaf-, inheritance, 26
Vectors, insects as (see under Insects)
Vegetables, diseases, book review, 98
quarantines on, from Hawaii, 570
Vein clearing, stone-fruit virosis (new), 463
Venturia inaequalis, on apple, epidemiology, 297
eradicant fungicides for, 296
ground sprays for, 13
pathogenicity, genetic relations, 1142
spray coverage index vs. inoculum potential, measurement and relations, 7
saltation in, nature, 1142
VERRALL, A. F., 270
Verticillium albo-atrum, saltants of, medium for production, 1135
from single-spore culture, and taxonomic significance, 1135
strawflower wilt due to, general study and other hosts, 1130
taxonomic history, 1135, 1138

vesicatoria (Phytomonas), 753
vesicatorium (Bacterium), 25
Vicia angustifolia, Rhizoctonia root rot, 674
faba, virus infections, isomeric crystals in, 760
Viruses (plant—special and general data)
acquired immunity, competition vs., 23
disease phases vs., 533
general discussion, 1059
in mosaics, 1059
use of term, 1061
activity, local lesion measurement method, accuracy, 21
antagonisms among, 1059
behavior in roots vs. aerial parts, 575
changes in N and virus content of detached leaves in darkness, 1117
effect on cellular oxidation, 25
extraction technique, 411
heat therapy, in aster yellows, 14
inactivation, destruction vs., 699
nitrogen nutrition effects, 21
in vivo, 415, 419
reactivation, and mechanism, 700
technique of chemical, 681
inactivator from yeast for, 864
indicator plant method, for tobacco mosaic, 430
infection as influenced by nutrients, 10
inoculation methods compared, in tulip, 838
insect transmission, hereditary variation in, 3
isomeric crystals in Pisum virus-2 and Phaseolus virus-2, 760
movement, in inoculated roots, factors influencing, 589
in plant parts, direction and rate, 575
route and, 7
multiplication, vs. P-nutrition and host growth in tobacco mosaic, 861
in vector (aster yellows), 126
nature and origin, 989
nomenclature, and classification, new system, 23
system suggested for citrus-, 356
nucleoprotein of, properties in alfalfa mosaic, 394
plant disease-, book review, 100
protein of, quantitative determination technique, 980
quantitative measurements of, 12
"recovery" from infection vs. disease phases, 533
in root extracts, concentration, 591
thermal inactivation, 594
severe etch, 577
study through dodder union of hosts, 13
symptomatology as influenced by concentration, 418
synthesis of protein of, relation to leaf chromoprotein and cell metabolism, 978
transmission via dodder, 13, 649
vector transfer of strains simultaneously, 8
X-ray inactivation as influenced by pH, in tobacco mosaic, 862
Viruses (by plant hosts—for detailed data see under hosts and specific diseases)
alfalfa, mosaic, 21, 394, 410
aster, yellows, 13, 14, 124, 651
bean, mosaic, 10, 577
leaf variegation (heritable) resembling, 26
cherry (sour), yellows, 355
citrus, nomenclature system suggested, 356
psorosis, strain-A, 861
commelina, mosaic, 756
cowpea, mosaic, 420
cucumber, mosaic, 577, 756
cucurbits, mosaic, 8, 13, 652
cushaw, curly-top reactions in, 860
elm, mosaic (new), 22
fig, mosaic, 561
grape, Pierce's vine disease (?), 862
Nicotiana glutinosa shoot enations (?), 2
peach, mosaic, 4, 322
mottle, 860
ring-rot, 860
rosette-mosaic, 353
wart, 859
X-disease-like, 19, 860
Phaseolus-2, 760
Pisum-2, 760
Plantago spp., mosaic, 1089
potato, 7
blue-stem (?), 5
leaf roll, 3
purple-top wilt (?), 5
ring spot, 577
spindle tuber, 181
yellow dwarf, 3
prune, diamond canker of French (?), 886
mosaic, 355
of Prunus spp., new, 14, 19, 463, 886, 1004
vein clearing, 463
pumpkin, curly-top reactions in, 860
of stone fruits, 1004
buckskin, 916, 864
line-pattern virosis, 1004
strawberry, crinkle, 850
stunt, 849
sugar beet, curly top, 8, 13, 652, 861
tobacco, broad ring spot, 577
etch, 12
mosaic, 13, 21, 25, 430, 577, 653, 679, 861, 862, 864, 978, 1089, 1117, 1140
necrosis, 21
ring spot, 21, 23, 522, 577
streak, 577
tomato bushy stunt, 13, 652
curly top on, 864
tulip, 838
white clover, mosaic, 13
virus-1, 654
Vitamin B_1, effect on Erysiphe cichoracearum, 863

WADLEIGH, C. H., (26), (771)
WALKER, J. C., (14), 23
WALKER, JOHN CHARLES, 98
WALTER, JAMES M., 23, (349)
Wart, peach-, virus-induced, 859
Water, loss from inert surfaces, Bordeaux effects on, 865

WATERMAN, ALMA M., (475)
WATSON, I. A., 558
WEAVER, L. E., (849)
Weeds, in tobacco plant-beds, soil treatments for, 6
Weevils, barnyard grass root rot and basal stem rot relations to, 832
WEIGLE, C. G., 865
WEIMER, J. L., 771, 1031
WEINDLING, RICHARD, 24, 158, (769), 991
WEISS, FREEMAN, 471
WELLMAN, FREDERICK L., 103, 281
WELLMAN, R. H., (16), 24
WELLS, W. F., 201, 203
WERNHAM, C. C., 24, 940
Wetting agents, effect on rose powdery control in greenhouse, 16
Wheat, disease-free seed, mercurial dust effects on, 387
dwarf bunt, on fall-sown spring-, 951
Tilletia tritici race causing, 74
leaf rust, physiologic races in Okla., 5
loose smut, seed treatment by Oklahoma hot-water seed treater, custom operation, 5
varietal reactions to, 24
Phoma terrestris infecting (exp.), 913
root rots, seed treatments by mercurial dusts, 379
seed-borne diseases, seed treatments by mercurial dusts, 392
stem rust, resistance inheritance in crosses with Kenya vars., 558
teliospore longevity, 197
urediospore germination, medium for, 952
winter-, basidiomycete killing, 1058
yields as influenced by seed disinfection and soil fertilization, 385
WHIPPLE, OTIS C., 1017
WHITAKER, THOMAS W., 534, (863)
White clover, mosaic, virus-1, transmission via dodder, 654
White pine blister rust (see Cronartium ribicola)
WIANT, JAMES S., 24
WILCOXON, FRANK, (16)
Wildfire, tobacco bacterial-, 6, 957
Willow, blight, Physalospora vs. Fusicladium as cause in Canada, 1056
Wilsonema spp., Harposporium oxycoracum parasitizing, 797
Nematoctonus leiosporus parasitizing, 780
Wilt(s), banana Panama-, 564
corn bacterial-, 7
cotton Fusarium, 770, 771
flax Fusarium, 4
Fusarium forms and hosts, 1
mimosa tree Fusarium, 599
root-infecting types, solution-culture inoculation methods, 549
strawflower Verticillium, 1130
sweet potato Fusarium, 21
sweet william Fusarium (new), 1054
tobacco bacterial Granville-, 20
tobacco Fusarium, 21
tomato Fusarium, 103, 281, 749
WINGARD, S. A., (10), 24
Wintercress, bitter-, bacterial black rot (new), 347
WODEHOUSE, R. P., 201, 206
WOLF, FREDERICK A., 61
Wolbachia, as virus genus, 23
Wood (see also Lumber; Trees)
blue-stain fungi of, ascospores, 19
cord-, decayed, chemical composition and calorific value, 22
Fomes fomentarius rotting, 11
fungi inhabiting, growth rates compared, 825
fungus rots, differentiation methods, 6
liquid conduction in, as influenced by larval gallery scars, determination, 1035
silver nitrate stain showing route, 1035
staining in chemically treated lumber, fungi associated, 270
WOODS, MARK W., 25, 677, 978
Worms, Annelid-, potato pit-scab role, 9
Wounds, dressings for, 23
WRIGHT, ERNEST, 857

Xanthomonas **barbareae** n. sp., Barbarea vulgaris black rot due to, 348
X-disease, peach-, new virosis resembling, 19, 860
X-rays, effect on Ustilago hordei, 175
tobacco mosaic virus inactivation by, pH effects on, 862
Xylaria apiculata, morphology, 938
potato tuber rot due to, 939

YANG, JUHWA Y., (664)
YARWOOD, C. E., 741, 865
Yeast, virus inactivator from, 864
Yellow dwarf, potato-, virus, longevity, factors influencing, 3
purification, 3
transmission by clover leaf hopper, hereditary variation in, 3
Yellowing defect, in strawberry, genetic origin, 1
Yellows, aster-, heat therapy, 14
virus, incubation and multiplication in vector, 126
mechanical transmission between leaf hoppers, 124
transmission via dodder, 13, 651
cherry (sour)-, history, distribution and virus etiology, 355
Yields, crop-, missing plants vs., determination method, 3
YORK, HARLAN H., 25
YOUNG, P. A., 25, (749)
YU, EMERSON H., (264)

ZAUMEYER, W. J., 26
ZELLER, S. M., 463, 849
ZEMLANSKY, JOHN, (15)
ZENTMYER, GEORGE A., 896
Zinc deficiency, in citrus, 861
Zinnia elegans, commelina mosaic virus infecting (exp.), 756
virus inoculations, 579, 580
Zooviraceae new fam. (viruses), 3
Zoovirus n. gen. (viruses), 3